FILE NOTATIONS


Intered in NID File ocation Map Pinned ward Indexed		Checked by Chief Approval Letter Disapproval Letter	Hub. 1.
COMPLETION DATA:	11575.71		
Date Well Completed	11.58.14	Location Inspected	*****
OW WN TA.		Bond released	
GW. 1 OS PA.	****	State or Fee Land	******
	LOGS FILE	D ⁱ	
Driller's Log.	ر ۰۰۰۰		
Elec. to Logs (No.)			
Ē I	Dual I Lat	GR-N FACE	Gq
BHC Sonic GR	. Lat Mi	L Sonic	• • •
CBLc CCLog	Others.	• • • • • • • • • • • • • • • • • • • •	

Sovided in Alexidance with Course no. 2, plovided not completed in the same 3 me de 32-1. 6/2/11 -S.D. Bond on file with Devision of State hands.

SUBMIT IN TREFLICATES

				(Other instru	ç
S ?	ΓΑΤΕ	OF	UTAH	reverse s	L

OIL	& GAS CONSERV	ATION COM	MISSION			IGNOTION THE MILL NO.
A DOLLG A TION	FOR PERMIT T	O DOLL DI	EDEN OP DI	IG BACK	6. IF GNDIAN,	ALIGHTES OF THE NAME
APPLICATION	FOR PERMIT 1	O DRILL, D	CEPEIN, ON TEC	JO DACK	le. Serid serid e.	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1a. TYPE OF WORK	L K	DEEPEN	PLUG	BACK 🗆	g. grat agel	BNIST NEWS C
b. TYPE OF WELL	- L &			:	E 02.2 4	
OIL 🔽 GAS				MULTIPLE ZONE	F. SARM OF	LEASE NAMES TO S
2. NAME OF OPERATOR	01222			1	≽ 1 ₹ o ← ±	1
9717.1 017 A T)			9	3. THE	alley Exploration
Viking Oil & I	FILLING GO.				8 7 5 8 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 -16 3 5 5 5.
	2.3 Darkers Com	ma Tumphian	Colorado 81	รดา	30. Jan 10	D POOL, OF WILDCAT
405 West Mayf	port location clearly and	in accordance with	any State requirements	.*)	Create 1	Pila Piais
At surface) (31. sic., r.p.	L, M, OR MAR
300 FNL and 3				.)	9 32 32	T 20 8 E 24 E.
At proposed prod. zone	•		Nall	WNW		a Barbara
14. DISTANCE IN MILES A	NO DIRECTION FROM NEA	REST TOWN OR POST	OFFICE*	WAW	12. ECOUNTY	B PARISH 18. STATE
						i iitah
6 miles No. of	Cisco, Utah o	n I 70	16. NO. OF ACRES IN LE	ASE 17. NO	OF ACRIE ASSES	
15. DISTANCE FROM PROPO LOCATION TO NEAREST	·		41	TO	THE WOLL A	NED TO THE STATE OF THE STATE O
PROPERTY OR LEASE LINE (Also to nearest drig.	line, if any)	0"	640		TARP OF CABLES	3 3 3
18. DISTANCE FROM PROPO TO NEAREST WELL, DE	SED LOCATION* HILLING, COMPLETED,	į	19. PROPOSED DEPTH	1 3	とこ 単型人員	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
OR APPLIED FOR, ON THE	s lease, ft. 28	32	650	l Rq	tary V/AI	DATE WORK WILL START*
21. ELEVATIONS (Show whe	ther DF, RT, GR, etc.)					0 3 9 007
•					a + au un	
23.	1	PROPOSED CASING	AND CEMENTING I	PROGRAM	na a crace crace crace crace nace nace nace nace nace nace nace n	180 00 00 00 00 00 00 00 00 00 00 00 00 0
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOO	OT SETTING DEP	тн		T OF CHMENT OF TO
		22#	60 '		्र । । SX	ភពិ ស្គ្រា ស្គ្រា ស្គ្រា
9 5/8	7 5/8	9.5#	630'		30 S	
6 1/4	4 1/2	9.5#				१८७ विकास छ
				l	d full to i	nutter nutter se les se en te en te les en te en te en en en en en en en en en en en en en e
		44 2021	fman 22_1		O Li	្នុក
This well wil.	l be drilled do	MH GTD TOT		ound 32 T	Brushy Bas	in Sand Wo Gas
Well for	Brushy Basin (TT OUTA . M	TI TO. Jack			operly for
and Distilate	at Bottom of	sand.	METT TO RETETA	ed to be 1	1	3 18 14 25 5
draining B.B.	oil pool.			;		
					del de la constant de	Mork t s di fersi fersi fersi
	0		1 20 1		nis of all lift of folli lift drilli lift drilli	in ot a series of the two transfers of the two tran
	32-1 = PA	dice- from .	Kull Worsk		orrajja nog sud sugija j sugija j	= 0 mum
						- 14 4 66
	Come @ 730	0 - Preduce	for gon to	Ko ,	direncer the well, a sen directly at a directly	the proposition of the propositi
	Cally and		f y	7587.1		For the second s
				\sim	12. 5 . 5 . 8	oritical and a second a second and a second and a second and a second and a second
				- (AM)	for being the following the column of the mell cannot rectly the mell cannot rectly and the column of the requirement of the re	galtimous galtimous ko d'aure ko brakta 10 galtopana galtopana
				P		82 5735
					era toricitation	
IN ABOVE SPACE DESCRIBI	PROPOSED PROGRAM: If	proposal is to deep	en or plug back, give d	ata on present p	Coduction Fore	ad proposed new productive
zone. If proposal is to	drill or deeben direction	ally, give pertinent	data on subsurface foc	ations and meas		Historia Constitution of the blowout
preventer program, if an	y.				GBP FLAALA NUC	9 1 5 1 0 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
'\(\frac{1}{2}\)	0		President	4	splijfes 11 (2.6]: 16 silte 17 abe	Z = = 2 21
SIGNED OF MAN	- Jacob	TIT	LI Trestaen		B H P F	PA STAR
(This space for Fede	ral or State office use)				nanit F 18: grad suga suga suga suga suga suga suga suga	# <u>] #</u>] #[] #[]
1/	3-019-300				onsult	7 10 10 10 10 10 10 10 10 10 10 10 10 10
PERMIT NO.						
,	0-019-200	6/	APPROVAL DATE		의 없 원리 및 및	4 4 1 0 1 0 5 5 T
	0-019-200	67	APPROVAL DATE		의 없 원리 및 및	II : Is:
APPROVED BY	0-019-200				THE PART OF THE PARTY OF THE PA	T. Island 2 to 82 2 to 83 2 to 84 2 to
APPROVED BY					의 없 원리 및 및	r:lsnpm90 gs no knebod gs no kn



SURVEYORS CERTIFICATE

I, GEORGE H. NEWELL A REGISTERED LAND SURVEYOR AS PRESCRIBED BY THE LAWS OF THE STATE OF UTAH, HOLDING LICENSE NO. 1770, CERTIFY THAT THIS PLAT OF:

AND MORE SPECIFICALLY DESCRIBED AS FOLLOWS:

300 feet from the North line and 300 feet from the West line of Section 32, T. 20 S., R. 24 E., SLB&M. Ground line Elev. 4563.

IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

May 31, 1971 DATE

June 2, 1971

Viking Oil & Drilling Company 405 West Mayfield Avenue Grand Junction, Colorado 81501

> Re: Grand Valley Exploration 32-3 Sec. 32, T. 20 S, R. 24 E, Grand County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above mentioned well is hereby granted in accordance with the Order issued in Cause No. 2, provided, the above well is not completed in the same producing horizon as the #32-1.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL-Chief Petroleum Engineer HOME: 277-2890 OFFICE: 328-5771

This approval terminates within 90 days if the above well has not been spudded-in within said period.

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling.

The API number assigned to this well is 43-019-30061.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT DIRECTOR

CBF:sd cc: Division of State Lands


STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL & GAS

SUBMIT IN TALICATE*
(Other instructions on reverse side)

AMB

ML 27010 State
5. Lease Designation and Serial No.

APPLICATION F	OR PERMIT TO	DRILL, DEE	PEN, OR PL	UG BACK	6. If Indian, Allottee or Tribe Name
1a. Type of Work DRILL b. Type of Well	Complete As Ga	as Well Deepen [) PLI	JG BACK 🗌	7. Unit Agreement Name
Oil Gas [Other	The same of the sa	Single X	Multiple	8. Farm or Lease Name
Well Well 8 2. Name of Operator	Other		Zone KL	Zone 🗀	Thunderbird No. 32-3 9. Well No.
Thunderbird Dri 3. Address of Operator	lling Co. Ilan	L. Jacobs,	Owner		Gravel P:ile Field
710 Bunker Drive 4. Location of Well (Report 1 At surface 300 FNL & 300 At proposed prod. zone		Colorado cordance with any St	81501 ate réquirements.*)		10. Field and Pool, or Wildcat Sec. 32 T. 20 S.R. 2 11. Sec., T., R., M., or Blk. and Survey or Area
	4:				Grand Utah
14. Distance in miles and dire		or post office			12. County or Parrish 13. State
6 Mi N.E. Cisco 15. Distance from proposed*	utan on 1 70	16.	. No. of acres in leas	e 17. No.	of acres assigned
location to nearest property or lease line, ft. (Also to nearest drlg. line,			640		nis well 10
18. Distance from proposed lo to nearest well, drilling, or or applied for, on this leas	ompleted,	19.	Proposed depth	_	ry or cable tools
21. Elevations (Show whether	202		670 •		Rotary 22. Approx. date work will start*
					July 10, 1974
23.	Pl	ROPOSED CASING A	AND CEMENTING P	ROGRAM	•
Size of Hole	Size of Casing	Weight per Foot	Setting Dep	th	Quantity of Cement
9 5/8"	7 5/8" - 4 1/2"	22#	60 ' 68 5 '		10 Sx
ated from Gas reduced from B. Ba	eservoir of No. asin Sand in or	l well by a der to adaqu	a sizable Far aetely drain	ult, both reservoirs	ir of No. 3 well is sepa wells will need to be pr s. Thunderbird Oil C/O Ila
	be Thunderbird		_	0	
PLEASE NOTE: No.	ew operator Name Securações Data		nacorda nos prod nos prod nos petra nos petra nos petra	> _ <	re (al some time) leted
ductive zone. If proposal is t preventer program, if any.		M: If proposal is to	deepen or plug back data on subsurface l	, give data on pre	esent productive zone and proposed new pured and true vertical depths. Give blow
Signed Lan	Jastia	Title()wner		Date June 8, 1974
(This space for Federal or Permit No	State office use)	3.019 1	Approval Date)	
Approved byConditions of approval, if		Title			Date



SURVEYORS CERTIFICATE

I, GEORGE H. NEWELL A REGISTERED LAND SURVEYOR AS PRESCRIBED BY THE LAWS OF THE STATE OF UTAH, HOLDING LICENSE NO. 1770, CERTIFY THAT THIS PLAT OF:

AND MORE SPECIFICALLY DESCRIBED AS FOLLOWS:

300 feet from the North line and 300 feet from the West line of Section 32, T. 20 S., R. 24 E., SLB&M. Ground line Elev. 4563.

IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

7. newell May 31, 1971 DATE

June 20, 1974

Thunderbird Prilling Company 710 Bunker Drive Grand Junction, Colorado 81501

> Re: Well No. Thunderbird #32-3 Sec. 32, T. 20 S, R. 24 E, Grand County, Utah

Gentlemen:

Insofar as this office is concerned, approval to complete the above referred to well as a gas well is hereby granted in accordance with the Order issued in Cause No. 102-5. Said approval is, however, conditional upon the following:

- 1) Said well cannot be produced from the same continuous stratigraphic zone (at the same time) as the nearby wells.
- 2) In addition, should youdecide to complete as a gas well, it will be necessary for you to run some type of correlation logs on the well.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL - Chief Petroleum Engineer HOME: 277-2890 OFFICE: 328-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation relative to the above will be greatly appreciated.

The API number assigned to this well is 43-019-30067.

Very truly yours,

DIVISION OF OIL AND GAS CONSERVATION

Lease:THUNDERBIRD Well #:32-3

API #: 43-019-30067-Location: Sec 32 Twn 20S Rng 24E County: GRAND State: UTAH Field: CISCO Operator: WALTER BROADHEAD

Well #.52			400 4467 :	County: GRAND
Spud Date: KB: Ø	Ø /Ø /Ø	Comp Date: 11 ELEV: 456Ø	/28/19/4	State: UTAH Field: CISCO
TD: 816		PBTD: 68Ø	Start	Operator: WALTER BROADHEAD Size
Ø			End	Length Description
			1 0.0	8.750 Hole: SURFACE
90—			60.0 0.0	60.0 Cement: 12 SX TO SURFACE
92			6Ø. Ø Ø. Ø	60.0 7.000 Casing: SURFACE 20# CASING
			6Ø. Ø	60.0 5.500 Casing: CASING USED AT SURFACE
			Ø. Ø 6Ø. Ø	60.0
]			
18Ø				
270—				
360-				
30 v -				
450				
	H			
540—				
	Ħ			
63Ø	14			Danks BA SHATS
	净	2	2 639.Ø 659.Ø	Perf: 80 SHOTS 20.0
700			3 434.0	Cement: CALCULATED CEMENT TOP.
720—			749.0	315.0 4.500 Casing: 9.4# CASING
		3	Ø. Ø 749. Ø	749. Ø
			4 749. Ø 816. Ø	Cement: 67. Ø
	<i>\////</i>		68Ø. Ø	Cement:
81Ø—			816. Ø 6Ø. Ø	136. Ø 6. 25Ø Hole: PRODUCTION
3,5		4 للتنديم	816.0	756. 0

Lease:THUNDERBIRD Well #:32-3

API #: 43-Ø19-30067-Location: Sec 32 Twn 20S Rng 24E County: GRAND State: UTAH Field: CISCO Operator: WALTER BROADHEAD

Spud Date: Ø /Ø /Ø KB: Ø TD: 816

Comp Date: 11/28/1974 ELEV: 456Ø PBTD: 68Ø

TD: 816	PBTD: 680	Operator: WALTER BROADHEAD
Ø	VALI II N	Start Size End Length Description
90-		a a 9 750 Holo: SURFACE
180-		50. D
270		
360—		
450—		
540-		
63 Ø —	2 2	639.0 Perf: 80 SHOTS 659.0 20.0
720—	3	434.0 Cement: CALCULATED CEMENT TOP. 749.0 315.0 0.0 4.500 Casing: 9.4# CASING 749.0 749.0 749.0 Cement: 816.0 67.0
810—	4	680.0 Cement: 816.0 136.0 60.0 6.250 Hole: PRODUCTION 816.0 756.0

2

UN ED STATES SUBMIT IN DUPLI DEPARTMENT OF THE INTERIOR

(Sec. ner instructions on 5.

*		GE	EOLOGIC	AL SU	RVEY			reverse sid		10 State
WELL CO	OMPLET	ION C	OR RECO	MPLETI	ON I	REPOR	T AND	LOG*	6. IF INDIAN,	ALLOTTEE OR TRIBE NAM!
1a. TYPE OF WE	ELL:	OII	GAS WELL	XX	🗆	Other	-	<u>-i</u> -	7. UNIT AGRE	EMENT NAME
A. TYPE OF CO	MPLETION	WELL	WELL G	BE} Di	RY 🗀	Other			_	
NEW X	WORK OVER	DEEP-	PLUG BACK	DIFF	,	Other		:	S. FARM OB I	LEASE NAME
2. NAME OF OPERA										
Thunderb:	ind Dri	17 ina (30						9. WELL NO.	
3. Appetes of be	EKOTOR	TT-1-1-15		····				1	 	
710 Bunke	er Driv	e Grand	d Junctic	n. Col	orado	27.	(A)		10. FIELD AN	D POOL, OR WILDCAT
4. LOCATION OF W	ELL (Report	location	clearly and in	accordance	with an	y State re	quirements)*	Gravel	Pile Field
At surface 30	JO. HW.	2. Oth)	F.MT				1			R., M., OR BLOCK AND SURVEY
At top prod. is	nterval repo	rted below	,					•	1	
44 4.4.3 343								Š		
At total depth				. 14		. ;		~~~	Sec. 34	2 T 20 SR 24 E
					BMIT NO.		DATE I	_	PARISH	
K	1.10		15 20		19-30		1 6/30	1.1.	Grand	19. ELEV. CABINGHEAD
15. DATE SPUDDED	10. DATE	T.D. REAC	дви 17. DAT	E COMPL. (_	proa.)			B, RT, GR, ETC.)*	
20. TOTAL DEPTH. MI	<u> 1 7/30</u>	/71	BACK T.D., MD &	<u>./28/74</u>		TIPLE COM		60 Gr. 23. INTERVAL	S ROTARY TOO	LS CABLE TOOLS
	עאד א ט			TVD 22.	HOW M		IFL.,	DRILLED E	SY .	AS CABBE TOOLS
876* 24. PRODUCING INT	77747 (g) o		80	POMMO34	NA36W (1	(D AND MY	7).		I All	25. WAS DIRECTIONAL
4. PRODUCING INT	EEVAL(S), U	F THIS CO.	MPLETIONTOP	, BUTTUM,	NAME (AD AND IV	<i></i>			SURVEY MADE
		,					1			Ma
Brushy Ba	asin Sa	nd 630	0 +o 659) •						NO 27. WAS WELL CORED
					• •	:		1		No
<u>Schlumber</u> 28.	rger Pe	<u>rforat</u>	ing Depth	CONTY		ort all str	ingo oot in	400]])	<u></u>	140
CASING SIZE	WEIGH	IT, LB./FT.				LE SIZE			NG RECORD	AMOUNT PULLED
-11 05		00.11			0	3/4"	12	Sax to S	urface	
7" OD		20# 9•4#	60 \ 749		$\frac{0}{6\frac{1}{6}}$		35	Sax	oure.ce	
$\frac{4\frac{1}{2}"}{2}$ OD Interest $\frac{5}{2}$ " (7.5#	60					bax		
.Ints. 5 (OD	17#	_							
29.	<u>'</u>	LII	NER RECORD				- ' 	30.	TUBING RECO	RD
SIZE	TOP (M	D) B(OTTOM (MD)	SACKS CE	MENT*	SCREEN	(MD)	SIZE	DEPTH SET (MI	D) PACKER SET (MD)
			V-1 11	-						
31. PERFORATION R	ECORD (Inte	rval, size	and number)	<u> </u>		82.	ACI	D, SHOT, FRA	CTURE, CEMENT	SQUEEZE, ETC.
639-659	80 Sho	ts				DEPTH	ÎNTERVAL	(MD)	AMOUNT AND KINI	OF MATERIAL USED
-37 -37										
•										
33.*						DUCTION				
DATE FIRST PRODUC	TION	PRODUCT	ION METHOD (Flowing, go	is lift, pi	imping—e	ize and typ	pe of pump)	WELL &	STATUS (Producing or :-in)
	-,								Sh	
DATE OF TEST	Hours	ESTED	CHOKE SIZE	PROD'N		OILBB	L.	GAS-MCF.	WATER—BBL.	GAS-OIL RATIO
	1		<u> </u>							
LOW. TUBING PRESS.	. CASING	PRESSURE	CALCULATED 24-HOUR RAT	OIEE	BL. ~	GA:	s—McF.	· WATE	R-BBL.	OIL GRAVITY-API (CORR.)
34. DISPOSITION OF	170#				st.	114	50 MCF	No.	ne	
4. Disposition OF	GAS (SUIG, 1	isea jor ju	ei, venieu, eic.)						TEST WITNESS	SED BY
5. LIST OF ATTAC	HMENTS						 		<u> </u>	
O. MIGI OF ATTAC	- Maria									
16. I hereby cortif	that the	nregation -	nd attached 4	formation	ta com-	lata and a	OFFOAT CO	latarmined 4-	m all available re	oorda .
I meren's certif			arrachen II	v.mativii	19 COMB	rere and G	OTTECT WR (ierermineg ILO		
SIGNED	Kan Z	X	colis	TIT	LE		wner		DATE	1/20/75
	. , т	//								
		*/Ć L			. (A	J. Jean .	I D	D		- 1

NSTRUCTIONS

1150

or birth, pursuant to proceed the form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments or a State agency General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency

should be listed on this form, see item 35.

| Nem 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State Hem 121 and 121 and 121 and 122 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing intervals, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval zone (multiple completion), so state in item 22, and in item 24 show the producing intervals, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 38. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Hem 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Hem 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.) or Federal office for specific instructions.

mu

Cretaceous 0 285" Mancos 285" Mancos 285" Mancos 285" 417" Dakota Green 639" Green 659" Green 655" Morrison 755" 805" Shale Salt Wash) 805" 805" Salt Wash	285° 417° 665° 740° 805° 8
	taceous 0 285 Mancos 285 Mancos 285 Mancos 285 Mancos 285 Mancos 285 Mancos 417 Dakote 417 Dakote 417 Dakote 417 Dakote 639 Green 639 Shale 740 Shale 540 Shale 540 Shale 540 Shale 540 Shale 555 Shale 51 Wash) 805 Salt Wash

1 + Fr. 1 3.

871-233

FORM OGC-8-X
File in Quadruplicate

V

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL AND GAS CONSERVATION 1588 West North Temple Salt Lake City, Utah 84116

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name and Number Thunderbird Dr	illing Co. 31-3	
Operator Thunderbird Drilling Co.	(Ilan L. Jacobs)	
Address 710 Bunker Drive 0	Grand Junction, Colorado 81	501
Contractor Jacobs Drilling Co.		
Address 405 W. Mayfield Dr	ive Grand Junction, Colorad	o 81501
Location NW 1/4, NW 1/4; Sec.	32; T. N; R. 24 E:,	<u>Grand</u> County.
Water Sands:		
From — To —	<u>Volume:</u> Flow Rate or Head -	Quality: Fresh or Salty -
I. <u>805</u> 816	Est. 100 B. D. Rate	Salty .
2.		
3. No Fresh Water Encountered		
4		
5	(Continue on Reverse Sid	le of Necessary)
Formation Tons:		

Formation lops:

- NOTE: (a) Upon diminishing supply of forms, please inform this office.
 - (b) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure.
 - (c) If a water quality analysis has been made of the above reported zone, please forward a copy along with this form.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

SUBMI TRIPLICATES (Other distructions on reverse side)

	NT OF NATURAL RESOU I OF OIL, GAS, AND MIN		5. LEASE DESIGNATION ML 27010	
SUNDRY NOTICE (Do not use this form for proposals use "APPLICATI	ES AND REPORTS C to drill or to deepen or plug be ON FOR PERMIT—" for such pr	N WELLS ack to a different reservoir.	6. IF INDIAN, ALLOTTES	OR TRIBE NAME
OIL GAS GTESS			7. UNIT AGREEMENT NA	MB
Walter D. Broadhea	d		8. FARM OR LEASE NAM Gravel Pile	
1645 North 7th Str	eet, Grand Junction,	CO 81501	Thunderbird	32-3
See also space 17 below.) At surface	rly and in accordance with any	State requirements.	10. PIELD AND POOL, OR	WILDCAT
650', FNL 2464' 300	FEL		11. 88C., 7., 8., M., OR 8. SUBVET OR AREA	
			32 T 20S R 2	
43-019-300 6 7	15. BLEVATIONS (Show whether or.	RT, GR. etc.)	Grand	Utah
c. Check App	ropnate Box To Indicate N	ature of Notice, Report, or	Other Data	
PRACTURE TREAT MU SHOOT OR ACIDIZE AB.	LI OR ALTER CASING LTIPLE COMPLETE ANDON® ANGE PLANS	WATER SHUT-OFF PRACTURE TREATMENT ENOUTING OR ACIDIZING (Other) New lease (Note: Report resul ('outpletion or Recom	ABANDONMEN OWNEY P&A report to of multiple completion of pletion Report and Log for the local pletion and the second sec	on Well
Mr. Broadhead took that the subject w taking the lease o	ell was drilled and	31/81 and has notified plugged and abandone	ed the division ed prior to his	
			AUG - I MA V. OF OIL, GAS & MINI	NG NG
18. I hereby certify that the foregoing is signed Mally Down	true and correct	operator	DATE Hug	. 1, 1984
(This space for Federal or State offer	use)			
APPROVED BY	TITLE		DATE	



State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt Governor Ted Stewart Executive Director James W. Carter Division Director

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340 801-359-3940 (Fax) 801-538-5319 (TDD)

PLUGGING AND ABANDONMENT
Thunderbird #32-3
Sec. 32, T. 20 S., R. 24 E., Grand County, Utah
API No. 43-019-30067

- 1. Notify DOGM 24 hours prior to plugging.
- 2. Set 10 sk plug at surface as per R. 649-3-24-3.3.
- 3. Use some type of non-corrosive fluid between plugs of sufficient weight to prevent flow of fluid from one zone to another as per R. 649-3-24-3.5.





Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Dianne R. Nielson, Ph.D., Division Director

Sile

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

February 6, 1985

Mr. Walter D. Broadhead 1645 North 7th Street Grand Junction, Colorado 81501

Dear Mr. Broadhead:

RE: Well No. Thunderbird 32-3, Section 32, T.20S, R.24E, Grand County, Utah.

On August 1, 1984, the Division received a Sundry Notice from you indicating that the subject well was plugged and abandoned prior to your taking the lease over. A recent field inspection of the well indicated that the well is not currently plugged and abandoned. As indicated on the enclosed inspection record, the well head exists with a valve and gas is released from the well when the valve is opened. For this reason, the Division is considering this well shut-in gas well rather than a plugged and abandoned well and the well is being retained on active status in our records.

Any additional wells drilled on this lease must comply with existing rules for spacing or well locating of wells. Please contact this office for additional information concerning these rules. Thank you for your consideration on this matter.

Sincerely,

John R. Baza

Petroleum Engineer

sb
Enclosures
cc: R.J. Firth
Well File

0070T-37

Grand Valley Exploration 32-3

Sec. 32, 720S, R24 \(\)

Grand Co., Ut.

13.019-30007

1. Dump 10 Sx on botton.

2 Surface plug of approx 10-15 Sx.

3. Regulation P&A marker

Father to PA

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

	-	Form A			
Г	F 45405	S Budget	Bureau	No. 42=R14	124
١	5. LEASE,	270	8 / I	wel wel	
ŀ	6. IF INDIAN,	ALLOTTEE	R TRIE	E NAME	
┙	9. 11 11101741,	0 0 3 0	ပိ	68's	
ľ	7. UNIT AGRI	EEMENT NAN	ΛΕ ≟	<u> </u>	
.		Pell: pell: pell: pell: pell: pell:		- 150 150 150	
	8. FARM OR L	LEASE NAME	= /	GRA	ND)
	THUN	DERBIK	21	VALI	54/
_	9. WELL NO.	i leou er zo Skine Vej (20	1215	3,55 305 3810	•
١	<u> 3 b</u> .	<u> </u>		3139	
-	10. FIELD OR	WILDCAT NAI	ME 🖫	Pitt Distriction	
ŀ	11 SEC T D	ಕ್ಷ್ಯ [ಾ] ಹ ., M <mark>ತ್ತ ರಿಣ್ಣಿ ಕ್ಷ</mark> ಿに	<u> </u>	CUDALES.	<u></u>
-	11. SEC., T., R AREA	C., MOS CHE BLI	K. AND	2000 T	OR
l		PI SV	ų ep	15 S	
ľ	12. COUNTY Ø	R PARISH 1	13. ŠŢ	ATE S	
	BRAND) 1 88 P	25	700 00 00	
_	14. API NO.	4505	⊒. Al A:	0 1 2 0	
-	43-0	197	OQ O		
١	15. ELEVATION	IJŶĠŖĠŴĊĊ	of, KD		VD)
Ŀ		0.00 mg/s	162	20 P	
		on de	90	nd repoles copies	
		such seme	рГПО	य द्वेश्रेष्ट	
	(NOTE: Rep§rt	190 200 300 300 400	ple com	1 0 6 °	
	change	on Epim 3-33	luod ec briet r	ns anoits 1990 Ilsw by debytes voice to be to the total of the total o	zone <u>ಬ</u>
	19	stab bort edt	5	loiterage lle betgebbe d'mun ent l mort beniete	ō.
	ÿ		5 D	ine 1 er 1 er	Ü
		orle Sine Strismi On Sine Oncide	oc Indian	nd the branch	<u> </u>
		= n = =		- 12 To - 12	= <u></u>
te di:	all pertinent de rectionally drille	etails,∴and⊡gi d. give∃subsu	ive per irface l	tinent≀da ocations	ites, and
nt	t to this work.)*	on de la contra del la contra de la contra de la contra del la	4	3 3 3	
P	PROPOSI	235 E	アグノ	NES	
•	1	불으로구드	noi	d b	
	BOT7	PEOPLES	07	saned Joseph Jos	OZE
	8.1/-	S S S S S S S S S S S S S S S S S S S	<u>∪</u> %7~	eals alsa	81
	PLUL	Ousing Specification	190	elszogo: oitelugot ortanini ezi eliki	
,	PiM S	URFA	(X	Z ZAN	18
/		Siwigation of the volume of th	يرك	0 W	
P	16 m	ARKZ	Æ ^ĕ	oseco Rus Jaw Uujri	
1	₩ [1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	101 101	ctio	
- 1	_ Lul _ Lul ar up ang amalaman kan tu	liew a nobride attrapped to the attrapped to the the total to the total	6 21 515	401/2 104/8 104/8	
	1004	okin odo odo epo epo	ide:	3 91	
	1994	llew a nobned to the control of part or part o	i piic	desole a series	
		liew is nobaled or all a way of the second of the second or second) <u>2. 3</u>	no designed tor submitting of opplied to an application of the second to application of the second o	_Ft.
Δ	S & MINING	to a character to a c	11.2t 3.00	81,7 81,8 0.91	
o`	\	tiew a nobned to a leading to a leading to a leading to a lead to	giste plaspitgas on one sis	19AZ	L
7	. ~.~- /		(U) (G /	U/0/# Z	
7	DATE		136	8950	
ffic	ce use)	od (or flught)	4: if these are no applicable state required to the second state instructions.	ant is	

SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME TO THE BEST
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME
1. oil gas d	THUNDERPED (JALLEY)
well well other DRY HOLL	9. WELL NO. 20 10 10 10 10 10 10 10 10 10 10 10 10 10
2. NAME OF OPERATOR	3 A - 2 9 8 0 15 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
WALTER D. BROADHEAD	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	7 3 5 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7
643 11. 11. 12. 10. 10.	11. SEC., T., R., MO DE ELK. AND SURVEY OR AREA
	w en mie o wino
AT SURFACE: NW NW SEC 3D	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	GRAND TREE LATRES
	14. API NO.
L6. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	43-0/9==2
REFORM, OR OTHER DATA	15. ELEVATIONS (SHOWEDF, KDB AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	emoisurite on capt in the charge of the capt on a provision of the capt of the
FRACTURE TREAT	tot
REPAIR WELL	ල් කිට්ට ක්රියික් (NOTE: Report results of multiple completion of zone
ULL OR ALTER CASING	change on Form 39-4330.)
MULTIPLE COMPLETE	Holipurten its requility to or accept to mun eff to mun eff to mun eff to reft holipurt it bluorla in data menta to bord to bord to bord to co co co co co co co co co
ABANDON*	nage the page to page to page the page the page to page to page to page to page to page to page the page the page to page the page
(other)	See
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly statincluding estimated date of starting any proposed work. If well is different including estimated date of starting any proposed work. If well is different including estimated date of starting any proposed work. If well is different including estimated date of starting any proposed work. If well is different including estimated and true vertical depths for all markers and zones pertinent including the starting any proposed work. If well is different including estimated and true vertical depths for all markers and zones pertinent including the starting any proposed work. If well is different including estimated and true vertical depths for all markers and zones pertinent including estimated and true vertical depths for all markers and zones pertinent including estimated and true vertical depths for all markers and zones pertinent including estimated and true vertical depths for all markers and zones pertinent including estimated and true vertical depths for all markers and zones pertinent including estimated and true vertical depths for all markers and zones pertinent including estimated and true vertical depths for all markers and zones pertinent including estimated and true vertical depths for all markers and zones pertinent including estimated and true vertical depths for all markers and zones pertinent including estimated and true vertical depths for all markers and zones pertinent including estimated and true vertical depths for all markers and zones pertinent including estimated and true vertical depths for all markers and zones pertinent including estimated and true vertical depths for all markers and zones pertinent including estimated and true vertical depths for all markers and zones pertinent including estimated and true vertical depths for all markers and zones pertinent including estimated and zones pertinent including estima	the side in the control of the state of the
(This space for Federal or State off	To use of the second se
	O STAN A
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:	DATE TO THE TOTAL
APPROVED BY THE STATE	eneb nei nsibrii noirsluger enuescora meri offilo steric offilos ni dras bishii urg svode enoiribros
OF UTAH DIVISION/OF	ib nsibni nsibni nsibni becona d staic a staic node itibno
OIL, GAS, AND MINING *See Instructions on Reverse !	
TE: See instructions on reverse :	·
: Sign pour lus	
as sevattacked etips	
the grant of	

UNITED ST DEPARTMENT OF 7 **GEOLOGICAL**

Form 9–331	Budget Bureau No. 42-R1424
UNITED STATES DEPARTMENT OF THE INTERIOR	5. LEASE 270/D
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEEOR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to diff of deepen of plag are reservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME (GRAND)
1. oil gas well other DRY MOLL	9. WELL NO. 3
2. NAME OF OPERATOR WALTER D. BROADHEAD	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA ATTACHER OF THE STATE OF T
below.) AT SURFACE: AT TOP PROD. INTERVAL: AT TOP PROD. INTERVAL: AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE
AT TOTAL DEPTH:	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	3 5 7
TEST WATER SHUT-OFF	원 시장 12 전 경험
SHOOT OR ACIDIZE	(NOTE: Report results of multiple completion of zone
REPAIR WELL	change on Form 9-330.)
PULL OR ALTER CASING U MULTIPLE COMPLETE	8 5 B
CHANGE ZONES	ု ကျော်ကိုသူ မွေတာင်ကြီး မြောင်းများကို မြောင်း
ABANDON* □	
(other)	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly standard including estimated date of starting any proposed work. If well is measured and true vertical depths for all markers and zones pertinates.)	ent to this work.)*
NO LIQUID IN THIS HOLE.	PROPOSE
100' OF MORE CEMENT !	N BOTTOM OF MOLL
WITH 105% AND 50 T	PLUG THE THE TALL
HOLE WITH 5 SX. RECL	MINI SUNTAUE MAD

17. DESCRIBE PROPOSED OR COM including estimated date of start measured and true vertical depth LIQUID 100' of MORE T STANDARD Subsurface Safety Valve: Manu. and Type _ GAS & MINING 18. I hereby certify that the foregoing is true and correct FOIL

(This space for Federal or State office use)

APPROVED BY CONDITIONS OF APPROVAL, IF ANY: TITLE

*See Instructions on Reverse Side

STATE OF UTAH

DEPARTMENT OF NATURAL RESOLUTION OF OIL, GAS, AND MIN		5. LEAST DESIGNATION AND SURIAL NO.
SUNDRY NOTICES AND REPORTS C (Do not use this form for proposals to drill or to deepen or plug be Use "APPLICATION FOR PERMIT—" for such pro		6. IN INDIAN. ALLOTTES OR TRIBS NAME
OFL WELL DOTHER SALL SALL		7. UNIT AGREEMBUT NAME
water W. Brahlad		Thursdivers
8. ADDRESS OF OFFRATOR / TWO St. G.J.,	GO 81501	9. WHILE NO. 32-3
4. LOCATION OF WELL (Report location clearly and in accordance with any Siee also space 17 below.) At surface	tate requirements.	10. FIRLD AND POOL, OR WILDCAT (L) () 11. SEC., 2., R., M., OR REM. AND SURVEY OR AREA NWWW 32 - T 205 - R 246
16. API NUMBER 43-019- 30067 15. BLEVATIONS (Show whether DF.)	RT, GR, etc.)	12. COUNTY OR PARISH 18. STATE
16. Check Appropriate Box To Indicate No Nozica of Internation to:		Other Data
TEST WATER SHUT-OFF PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON® X CHANGE PLANS (Other)	WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING (Other) (NOTE: Report resul ('ompletion or Recom	ts of multiple completion on Well apletion Report and Log (orm.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent proposed work. If well is directionally drilled, give subsurface location and to this work.) AND SOLUTION SELL. AND SOLUTION SELL AND SOLUTION SELL AND SELL AND SOLUTION SELL AND	details, and give pertinent date ons and measured and true vertile which was louted to the loute of the loute	

	regoing is true and correct Busafficed	TITLE OALL	alov	DATE 4-11-96
(This space for Federal or	httkeur	TITLE Schole	un Engree	DATE 4/15/96
CONDITIONS OF APPROV	advise	State	24 heapris	a to plugging.

12/93)

STATE OF UTAH DTVISION OF OIL, GAS AND MINING 1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

Page 1 of 2

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:			UTA	H ACCOUNT NUMBE	R:	<u>.</u>
PRODUCTION DEPT BROADHEAD, WALTER			REP	ORT PERIOD (MONTH	I/YEAR): 12 / 96	· •
1645 N 7TH ST GRAND JUNCTION CO 8150)]		AMI	ENDED REPORT (I	Highlight Changes)	
Well Name	Producing	Well	Days		Production Volumes	
API Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL)
PATSANTARAS PETE #2 4301930899 09181 20S 24E 3 FEE PETE #4	BRBSN			Fu	·	
4301930916 09182 20S 24E 3 KEAS FEDERAL #2	BRBSN			Fee		
4301915097 09183 20S 24E 5 KEAS FEDERAL #3-A	BRBSN			4070752		
4301915098 09184 205 24E 5	BRBSN			4070752		
FEDERAL LANSDALE #3 4301930458 09185 20S 24E 29 DUTCH-FEDERAL #1	BRBSN			K7218		
4301915007 09186 20S 24E 29	MRSN			U034745		
ERAL CISCO #3 4301930040 09187 20S 24E 29	MRSN			U034745		
TOMLINSON FEE #1 4301930964 09188 21S 23E 12	MRSN			Fee		
KEAS FEDERAL #8 4301931113 09189 205 24E 5	CDMTN			4070752		
GRAND VALLEY EXPLORATION 32-3 4301930067 10335 20S 24E 32	MRSN			ML27010		
FED BROADHEAD 17-1 4301930997 10336 215 24E 17	MRSN			426420		<u></u>
FED BROADHEAD 8-3 4301931067 10337 215 24E 8	SLTW			426421		
BROADHEAD #1 4301920092 10338 205 24E 14	DKTA			U38366		
			TOTALS			
			•			
OMMENTS:						·
OMMENTS:						
			······································		· .	
				· · · · · · · · · · · · · · · · · · ·	*	
hereby certify that this report is true and complete to the	ne best of my	knowledge.		Dat	e:	
ame and Signature:				To	elephone Number:	

FAX TRANSMITTAK

X	X
	•

FAX TRANSMITTAL

A-C-J-J-J-S SERVICE CO.

P.O. BOX 82 CLIFTON, CLOORAGG 81520 SHIPPING: 2944 I-70 BUSINESS LOOP #204 GRAND JUNCTION, COLORADO 81504 970-241-2917 FAX 970-241-4718

FAX TRANSMITTAL

TO:	LISHA	GRDO	SUA.	1-80	1-359	-394
ATTN:				***		
DATE:_/	1-10-97					
FROM:	John	Kubica	<u>k</u>			
PAGES SE	ENT INCLUO	NG COVER:_	4,			
COMMENTS	: USE	physica	Al ADA	DIZESS L	Uhen	
SENDI	ig MAI	<u> </u>				
						•
IF YOU E	XPERIENCE	ANY DIFFIC	ULTY WITH	RECEIVING	OR SENDING	

TRANSMISSIONS---PLEASE CALL 970-241-2917

WORKING AGREEMENT PAGE 1683

BETWEEN WALTER BROADHEAD (OWNER AND LEASE HOLDER) AND John Kubick (SERVICE Co.)

SERVICE CO. AGREES TO PROVIDE PUMPER, ROUSTABOUT AND COMPLETE BOOK KEEPING SERVICES IN A EFFORT to PRODUCE the OWNERS OIL AND GAS WELLS.

OWNERS EQUIPMENT WILL BE USED WHEN AVAILIABLE.

3 HOULD OWNER NOT HAVE THE NECESSARY EQUIPMENT

(PIPE, FITHINGS, ENGINES, COMPRESSORS, SEPERATORS ETC.)

TO put WELLS into PRODUCTION. SERVICE CO. WILL PROUDE

ALL NECESSARY SURFACE EQUIPMENT AND LABOR

NECESSARY TO INSTALL SAID EQUIPMENT. ALL EQUIPMENT

PROVIDED BY SERVICE CO. WILL REMAIN THE PROPERTY OF

THE SERVICE CO.

Down Hole Equipment AND work OVERS ARE NOT PROVIDED AS PART OF this AGREEMENT. THE DIVISION OF THESE EXPENSES WILL BE WORKED OUT AS NEEDED ON A WELL PER WELL BASIS.

WELLS DEPLEATED DUTING TERM OF CONTRACT WILL BE PLUGGED BY SERVICE CO. Spills, Cleanup, pits ets. REQUIRED AFTER
the DATE of this AGREEMENT will BE the
RES pansibility of SERVICE Co. Any NECESSARY
work which pre-Existen DATE of AGREEMENT will
BE worked out BETWEEN OWNER AND SERVICE CO.

All CHEMICALS NECESSARY to PRODUCE WELLS WILL BE PROVIDED BY SERVICE CO. ,

All Bookkeeping Requirements including Dispursement of All production money, Government Reports,

Payment of taxes and Royalities, Reports to All

Parties involved and storage of all information

will be provided by the service Co. All Division

of money will be paid out within 10 DAYS of

Receipt From Buyers. Service Company will set

up a seperate exercing account and it necessary

a Escrow account.

The Division of PRODUCTION MONEY A FTER PAXES AND ROYALITIES ARE AS FOCKOWS. 60% to WALTER BROADHEAD OR to whoever HE MAY ASSIGN. 40% to SERVICE CO.

The term of this Agreement is From FAW 8th 1997 to FAW 8th 2000 Agreement NEEDS to BE EXTENDED AT END OF TERMINATION DATE OR AGREEMENT IS CANCELLED. MONEY PAID FOR Oil AND GAS PRODUCTION While this Agreement was in Force is part of this Agreement EVEN IF RECEIVED AFTER TERMINATION OF AGREEMENT.

Walter Broad HEAD (OWNER) 1-8-97 DA

John Kubick (SERVICE Co.) 1-8-97 DATE

Bruce Brookles 1/8/97 DAYE

-Daymon Hilliams 1-8-97 DATE

OPERATOR CHANGE WORKSHEET	Routing (1)
•	2-GLH 7-KDR Film
Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable.	3-DTSD (7) 8-SJ (4-VLD 9-FILE
Change of Onemator (well reld)	S-RIF
 □ Change of Operator (well sold) □ Designation of Operator □ Operator Name Change Only 	
The operator of the well(s) listed below has changed, effective: 1-8-97	
TO: (new operator) (address) (address) (address) (address) (address) EROADHEAD, WALTER FROM: (old operator)	
WELL(S) attach additional page if needed:	
Name: **SEE ATTACHED** API: U9-3006 Entity: S Name: API: Entity: S	T
OPERATOR CHANGE DOCUMENTATION	
1. (r649-8-10) Sundry or other legal documentation has been received from form). (Lec'd 1-1047)	the FORMER operator (attach to this
2. (r649-8-10) Sundry or other legal documentation has been received from). (held 1-10-97)	om the NEW operator (Attach to this
3. The Department of Commerce has been contacted if the new operator wells in Utah. Is the company registered with the state? (yes/no)	r above is not currently operating any If yes, show company file numbers
4. FOR INDIAN AND FEDERAL WELLS ONLY. The BLM has been on note of BLM status in comments section of this form. BLM approval changes should ordinarily take place prior to the division's approval, a through 9 below. (See Comments)	of Federal and Indian well operator
5. Changes have been entered in the Oil and Gas Information System (32)	270) for each well listed above .
6. Cardex file has been updated for each well listed above.	
7. Well file labels have been updated for each well listed above.	
8. Changes have been included on the monthly "Operator, Address, and Acc to Trust Lands, Sovereign Lands, UGS, Tax Commission, etc. (1-17-97)	ount Changes" memo for distribution
9. A folder has been set up for the Operator Change file, and a copy of reference during routing and processing of the original documents.	f this page has been placed there for
:\dons\wpdocs\forms\operchng - OVER -	

OPERATOR CHANGE WORKSHEET (c nued) - Initial each item when completed. Write if item is not applicable.
ENTITY REVIEW
1. (r649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made (yes/no) If entity assignments were changed, attach copies of Form 6, Entity Action Form. 2. Trust Lands, Sovereign Lands, Tax Commission, etc., have been notified through normal procedures of entity changes.
BOND VERIFICATION - (FEE WELLS ONLY) * Not an operator change / Agent designation only!
1. (r649-3-1) The NEW operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operator's bond files.
3. The FORMER operator has requested a release of liability from their bond (yes/no), as of today's date If yes, division response was made to this request by letter dated
LEASE INTEREST OWNER NOTIFICATION OF RESPONSIBILITY Not an operator change
1. Copies of documents have been sent on to at Trust Lands for changes involving State leases, in order to remind that agency of their responsibility to review for proper bonding. 2. (r649-2-10) The former operator of any fee lease wells listed above has been contacted and informed by letter dated 19, of their responsibility to notify all interest owners of this change.
FILMING
1. All attachments to this form have been microfilmed. Today's date: 1-30-97
FILING
1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form, and the original attachments are now being filed in the Operator Change file.
COMMENTS
97011/e Blm/map beceived doc. "Working Agreement" submitted by ACGGS Service Co / Walter Broadhead. (attached) No official, approval will be given by them, however they will acknowledge Gohn Kubick ACGGS Service Co. as being Walter Broadheads "Agent". Openator ship & bond Courage "Welter Broadhead".



Michael O. Leavitt Governor Ted Stewart Executive Director

James W. Carter Division Director

DATE:

DIVISION OF OIL, GAS AND MINING

1594 West North Temple, Suite 1210 Box 145801 Salt Lake City, Utah 84114-5801

801-359-3940 (Fax) 801-538-5319 (TDD)

JANUARY 13, 1997

UTAH DIVISION OF OIL, GAS AND MINING FACSIMILE COVER SHEET

FAX # (801)259-2106
ATTN: VERLENE BUTTS
COMPANY: BLM/MOAB
FROM: LISHA CORDOVA
DEPARTMENT: OIL & GAS
NUMBER OF PAGES BEING SENT (INCLUDING THIS ONE): _5
If you do not receive all of the pages, or if they are illegible, please call (801) 538-
We are sending from a Sharp facsimile machine. Our telecopier number is (801) 359-3940.
MESSAGES:
DOGM IS GOING TO SET UP ACJJJS SERVICE CO/JOHN KUBICK AS AGENT FOR WALTER
BROADHEAD. WALTER BROADHEAD WILL BE CONSIDERED OPERATOR HOWEVER MONTHLY OIL
& GAS REPORTING AND WORKOVERS, ETC. WILL BE PROVIDED BY ACJJJS. PLEASE CALL
ME REGARDING BLM ACTION/APPROVAL.
THANK YOU!

Important: This message is intended for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone and return this original message to us at the above addressed via regular postal service. Thank you.



FORM 9

STATE OF UTAH

DIVISION OF OIL, GAS AND MI		
	5. Lease Designation and	Sorlel Number:
SUNDRY NOTICES AND REPORTS	S ON WELLS	Ibo Name:
Do not use this form for proposals to drill new wells, deepen existing wells, or to me. Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for the proposals to drill new wells, deepen existing wells, or to me.	7. Unit Agreement Name: or such proposals.	
1. Type of Well: OIL GAS DOTHER: SLIM HOLE -	NEVER PRODUCED GRAND V	
2. Name of Operator: SUMA OIL & GAS	2, L, C, 43019.	30067
3. Address and Telephone Number: P.O. BOX 399 WINTHROP, WA. 988 4. Location of Well B300 FN/ 0300 FWL	(509)996-3619 10. Field and Pool, or Will $GREATC$	dcat: ER C15C
4. Location of Well 0300 FNL 0300 FWL Footages:	county: GRA	NO
OQ. SOC, T.R.M.: NWNW SEC, 32, TWPZ	05, RZ4E State: UT	
11. CHECK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT, OR OTHER D	ATA ·
NOTICE OF INTENT (Submit in Duplicate)	SUBSEQUENT REPORT (Submit Original Form Only)	
☐ Abandon ☐ New Construction	TABORAGE CETVE ENTRY CONSTRUCT	tion
☐ Repair Casing ☐ Pull or Alter Casing	Repuil Gesting The Alter Co	
☐ Change of Plans ☐ Recomplete	Cottange of Plans DEC 1 6 1997	
Convert to Injection	converto in Ection 1 6 1991 Vent of Flare	
☐ Fracture Treat or Acidize ☐ Vent or Flare	Reacture Treat or Acidize Water Shut-Off	
□ Multiple Completion □ Wester Shut-Off MOther <u>CHANGE OF OP ENNTUR</u>	Brv. of OIL, GAS & MINING	
Approximate date work will start	Date of work completion	meenvoirs on WELL
Approximate date work will start///	Report moute of Multiple Completions and Repossiblions to different t	
IALUATE-PRODUCE OR PLUG IN 199	Report results of Multiple Completions and Recompletions to different of COMPLETION OR RECOMPLETION REPORT AND LOG form. * Must be accompanied by a cement verification report.	
	COMPLETION OR RECOMPLETION REPORT AND LOG form. Must be accompanied by a cement verification report.	d measured and true
12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clourly state all pertinent details, and	COMPLETION OR RECOMPLETION REPORT AND LOG form. * Must be accompanied by a cement verification report. give pertinent dates. If well is directionally drilled, give subsurface locations and	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and vertical depths for all markers and zones pertinent to this work.) THIS NOTICE IS FUR CITIES PREVIOUS OPERATOR	COMPLETION OR RECOMPLETION REPORT AND LOG form. * Must be accompanied by a cement verification report. If give pertinent dates. If well is directionally drilled, give subsurface locations and ANGE OF OPERATOR : (ML 27016)	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and vertical depths for all markers and zones pertinent to this work.) THIS NOTICE IS FUR CITIES PREVIOUS OPERATOR WALTER	COMPLETION OR RECOMPLETION REPORT AND LOG form. * Must be accompanied by a coment verification report. I give pertinent dates. If well is directionally drilled, give subsurface locations and ANGE OF OPERATOR I (M L 27016) D 13 ROPDITERD	
PROPOSED OF RATOR	COMPLETION OR RECOMPLETION REPORT AND LOG form. 8 • Must be accompanied by a cement verification report. 1 give pertinent dates. If well is directionally diffied, give subsurface locations and ANGE OF OPERATOR 1 (ML 27010) 0 BROADIYEAD	
12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and vertical depths for all markers and zones pertinent to this work.) THIS NOTICE IS FUR CIHM PREVIOUS OPERATOR WALTER PROPOSED OPERATO SUMA OIS	COMPLETION OR RECOMPLETION REPORT AND LOG form. So Must be accompanied by a coment verification report. I give pertinent dates. If well is directionally diffied, give subsurface locations and the completion of the control of the	
12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and vertical depths for all markers and zones pertinent to this work.) THIS NOTICE IS FUR CITIES PREVIOUS OPERATOR WALTER PROPOSED OPERATOR SUMA OIS P.O. BO	COMPLETION OR RECOMPLETION REPORT AND LOG form. Nuet be accompanied by a coment verification report. I give pertinent dates. If well is directionally drilled, give subsurface locations and the control of the contro	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and vertical depths for all markers and zones pertinent to this work.) THIS NOTICE IS FOR CIHM PREVIOUS OPERATOR WALTER PROPOSED OPERATO SUMMOIN P.O. BO WINTHR	COMPLETION OR RECOMPLETION REPORT AND LOG form. So Must be accompanied by a coment verification report. If give pertinent dates. If well is directionally diffied, give subsurface locations and the completion of the completion	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and vertical depths for all markers and zones pertinent to this work.) THIS NOTICE IS FOR CIHM PREVIOUS OPERATOR WALTER PROPOSED OPERATO SUMMOIN P.O. BO WINTHR	COMPLETION OR RECOMPLETION REPORT AND LOG form. 8 • Must be accompanied by a coment verification report. 1 give pertinent dates. If well is directionally diffied, give subsurface locations and the companied by a coment verification report. 1 give pertinent dates. If well is directionally diffied, give subsurface locations and the companied by the companied b	

This space for State use only)



Michael O. Leavitt Governor Ted Stewart Executive Director Lowell P. Braxton 801-359-3940 (Fax)
Division Director 801-538-7223 (TDD)

1594 West North Temple, Suite 1210 PO Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax)

March 31, 1998

Walter Broadhead 1645 North 7th Street Grand Junction, Colorado 81501

Re: Operator Changes - Walter Broadhead to Suma Oil & Gas LLC Dome 32-1 API No. 43-019-31043, Thunderbird 1 API No. 43-019-30058 and Grand Valley 32-3 API No. 43-019-30067 Wells Located in Section 32, Township 20 South, Range 24 East, Grand County, Utah

Dear Mr. Broadhead:

Enclosed are copies of change of operator "Sundry Notices and Reports on Wells" filed by Suma Oil & Gas LLC.

The Division has confirmed that state mineral lease ML-27010 has been canceled and a new state mineral lease ML-47660 has been issued to Suma Oil & Gas LLC. In addition, Suma Oil & Gas LLC has furnished the School and Institutional Trust Lands Administration ("SITLA") with bonding for the above referenced wells (see attached phone documentation). If you have questions, regarding the new lease and bond, please contact SITLA, Ed Bonner at (801)538-5151.

Please review the information. If you are in agreement with the above operator changes please sign and date the "Sundry Notices and Reports on Wells" that I have prepared for you, as you requested.

Page 2 Walter Broadhead March 31, 1998

Should you have any questions or need additional information please contact me at (801)538-5296.

Sincerely,

Lisha Cordova

Admin. Analyst, Oil & Gas

Enclosure(s)

cc: Suma Oil & Gas L.L.C., Russell Anderson
 School and Institutional Trust Lands Admin., Ed Bonner
 Operator File(s)

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

Route	original/copy to:					
□ v	Vell File	□Suspense	x⊠kOther			
•	, on The	(Return Date)	OPERATOR FILE(S)			
(Loc	.) SecTwpRng	(To-Initials)				
(API	No.)	_	SUMA OIL & GAS LL	C		
	-					
1.	Date of Phone Call: 3-3	1–98 Ti	me: _2:00			
2.	DOGM Employee (name) Talked to:	LISHA CORDOVA	(XXXInitiated Call)			
	Name ED BONNER	(Initiated Call) -	- Phone No. <u>(801) 538-5151</u>			
			AL TRUST LANDS ADMINISTRATION			
3.	Topic of Conversation: BON	DING FOR THE DOME 32-	-1, THUNDERBIRD 1, AND GRAND			
	VALLEY 32-3 WELLS; MINE	DAT TEACE NO. 17660				
	(LEASE FORMERLY ML27010)					
4.	Highlights of Conversation:					
	A \$10,000 CERTIFICATE OF DEPOSIT NO. 44058820009072 "KEY BANK" HAS					
	BEEN FILED BY SUMA OIL	& GAS LLC FOR THE WEI	LLS LISTED ABOVE.			

FORM (

STATE OF UTAH

Di	VISION OF OIL, GAS AND MINI	NG		
			5. Lease Designation and Serial Number:	
SUNDRY N	6. If Indian, Allottee or Tribe Name:			
	i to drill new wells, deepen existing wells, or to reen DON FOR PERMIT TO DRILL OR DEEPEN form for i		7, Unit Agreement Name;	
1. Type of Well: OIL GAS G	OTHER:		8. Well Name and Number:	
2. Name of Operator:			9. API Well Number:	
WALTER BR	OADHEAD		43-019-30067	
3. Address and Telephone Number: 1645 N. 7	TH ST, GRAND JCT CO 81	501 (970)242-7717	10. Field and Pool, or Wildcat:	
4. Location of Well			CRAND	
Footages:	T 20C B 24E		County: GRAND	
QQ Sec.,T.,R,M: SEC. 32,	T. 20S, R. 24E		State:	
11. CHECK APPROPE	RIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA	
_	OF INTENT n Duplicate)		JENT REPORT Iginal Form Only)	
Abandon	☐ New Construction	☐ Abandon *	☐ New Construction	
Repair Casing	Pull or Alter Casing	Repair Casing	☐ Pull or Alter Casing	
Change of Plans	☐ Recomplete	Change of Plans	☐ Reperforate	
Convert to Injection	☐ Reperforate	Convert to Injection	☐ Vent or Flare	
☐ Fracture Treat or Acidize	☐ Vent or Flare	☐ Fracture Treat or Acidize	☐ Water Shut-Off	
☐ Multiple Completion	☐ Water Shut-Off	OPERATOR CHA	ANGE	
Other				
		Date of work completion		
Approximate date work will start			epistions and Recompistions to different reservoirs on WELL	
		COMPLETION OR RECOMPLETION REPORT Must be accompanied by a cement verification		
12. DESCRIBE PROPOSED OR COMPLETED OPE vertical depths for all markers and zones pertic	FATIONS (Clearly state all pertinent details, and gi- nent to this work.)	ve pertinent dates. If well is directionally drilled, g	ive subsurface locations and measured and true	
WALTER BROADHEAD IS OIL & GAS LLC.	NO LONGER THE OPERATOR	OF THIS WELL. THE NEW	OPERATOR IS SUMA	
		N JOI	EIVE 1 3 1998 GAS & MINING	
13. Name & Signature: Alla little	Civilland	Title:	9.48	

(This space for State was only

Division	of Oil	Gas and	Mining

\dons\wpdocs\forms\operching

OPERATOR CHANGE WORKSHEET

Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable.

Royting	
1-140	GARC CLU
2-01-4	7-KASV
3-10/15/	12-8
4-17/	9-FILE
B	

		ange of Opera ignation of O	•	old)	☐ Design ☐ Operat		_	e O	nly						.÷
The	ope	rator of the w	vell(s) listed	i below	has changed, effe	ctive:	12–15–	-97		•					
TO:	(ne	w operator)	SUMA OIL	& GAS	LLCl	ROM	old ope	erat	tor)		BRO	ADH.	EAD,	WALT	ER
	``	(address)	PO BOX 3	99			•	(ad	ldress	s)					KUBICK
		•	WINTHROP	WA 9	8862										ESS LP 204
					ON, PRES.						GRAN	D.	JUNC	TION	co 81504
			Phone: _(509)99	6-2614										
			Account n	o. <u>N669</u>) <u>5</u>						Acco	unt	no	N113	<u> </u>
WE	LL(S) attach addition	onal page if ne	eeded:					*NE	w I	LEASE	ML	-476	60	
Name	. r	OME 32-1		API:	43-019-31043	Entity:	11168	s	32	Т	20S	R	24E	Lease:	ML27010
Name	_	HUNDERBIRD	1	_ API:	43-019-30058	Entity:	10339	S							ML27010
Name	: <u>G</u>	RAND VALLE	Y 32-3	_ API:	43-019-30067		10335		<u>32</u>		_20S		24E		ML27010
Name										T T		R R		Lease:	
Name Name	_			_ API: API:						Ť		R		Lease:	
Name	_			API:		Entity:		S		T		R_		Lease:	
Lec de de	3.	form). (k_g) (r649-8-10) form). (k_c) The Department wells in Uta $\frac{L_{CO}}{5234}$	Sundry or $12-16-97$ (Sundry or $16-16-97$, then tof Ch. Is the cost.	fig. 3.31- other le ommere ompany 9-5-96	I documentation (98) (fee'd 9-13-98) egal documentation (see has been contained with the segistered with	on has acted if the stat	the new	eiv op no)	ed from	om r ab	the Ni ove is If yes,	EW no sho	oper t curr w co	rator (A rently o mpany	Attach to this operating any file number:
A.	4.	note of RLN	M status in ould ordina	comme	L WELLS ONLY nts section of this place prior to the	s form	BLM a	DDI	oval	ot I	Feder:	al a	nd li	idian '	Mell Oberaror
<u>He</u>	5.	Changes have been entered in the Oil and Gas Information System (3270) for each well listed above. (7-14-98)													
Chil	6.		has been up	pdated for	or each well liste	d above	: .								
Ghl	7 .	Well file lab	els have be	en upda	ted for each well	listed a	above.								
Jec 1	8.	Changes have to Trust Land	e been inclu ds, Soverei	ided on t gn Land	he monthly "Opes, UGS, Tax Con	erator, A	Address, on, etc. (ano	i Acc	our	nt Cha	nge	s" m	emo fo	r distribution
Lec	9.	A folder has	s been set u	up for the	ne Operator Ch ocessing of the o	ange fi	le, and a	a co ts.	ру о	f th	is pag	ge h	as be	en pla	ced there for

- OVER -

OPE	CRAT	FOR CHANGE WORKSHEET (consuled) - Initial each item when completed. Write A if item is not applicable.
EN'	ΓIT	Y REVIEW
KC	1.	(r649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made (yes no) If entity assignments were changed, attach copies of Form 6, Entity Action Form.
N/A	2.	Trust Lands, Sovereign Lands, Tax Commission, etc., have been notified through normal procedures of entity changes.
BOI	' QV	VERIFICATION - (FEE WELLS ONLY) Trust linds (\$10,000) CD No. 44058820009072 "Key Bank"
Luc	1.	(r649-3-1) The NEW operator of any fee lease well listed above has furnished a proper bond.
<u>rila</u>	2.	A copy of this form has been placed in the new and former operator's bond files.
NA	3.	The FORMER operator has requested a release of liability from their bond (yes/no), as of today's date If yes, division response was made to this request by letter dated
LEA	SE	INTEREST OWNER NOTIFICATION OF RESPONSIBILITY
f <u>hi</u>		Copies of documents have been sent on <u>July 14, 1998</u> to <u>Ed Bonner</u> at Trust Lands for changes involving State leases, in order to remind that agency of their responsibility to review for proper bonding.
Hu	2.	(r649-2-10) The former operator of any fee lease wells listed above has been contacted and informed by letter dated 19, of their responsibility to notify all interest owners of this change.
FILN		
1	1.	All attachments to this form have been microfilmed. Today's date: 9.10.98.
FILD	NG	
	1.	Copies of all attachments to this form have been filed in each well file.
 -	2.	The original of this form, and the original attachments are now being filed in the Operator Change file.
СОМ	ME	NTS
	·	

DOGM SPEED LETTER

To: Ed Bonner	From: Lisha Cordova						
School & Institutional Tru	Division of Oil, Gas & Mining						
Lands Administration							
Subject: Operator Change			<u></u>				
MESSAGE			Date <u>07/14</u>	19 _98			
Ed,							
For your information, attache	d are copies of documents r	egarding an ope	erator change on a sta	te lease(s)			
These companies have compli	ed with our requirments. C	Our records have	e been updated. Bond	ding should			
be reviewed by your agency A	ASAP.						
Former Operator: Broadh	ead, Walter						
New Operator: Suma C	Oil & Gas LLC						
Well(s):	API:	Entity:	S-T-R:	Lease:			
Dome 32-1	43-019-31043	11168	32-20S-24E	ML-47660			
Thunderbird 1	43-019-30058	10339	32-20S-24E	ML-47660			
Grand Valley 32-3	43-019-30067	10335	32-20S-24E	ML-47660			
			0				
cc: Operator File			Signed Jishe	Cordova			
REPLY			Date	19			
			- Anna Anna Anna Anna Anna Anna Anna Ann				
			Signed				



Department of Natural Resources

Division of Oil, Gas & Mining

ROBERT L. MORGAN Executive Director

LOWELL P. BRAXTON
Division Director

MICHAEL O. LEAVITT

OLENE S. WALKER Lieutenant Governor

February 20, 2004

CERTIFIED MAIL NO. 7002 0510 0003 8602 4927

Russell Anderson Suma Oil & Gas LLC P.O. Box 399 Winthrop, Washington 98862

Re: Extended Shut-in and Temporary Abandoned Well Requirements for Fee or State Leases.

Dear Mr. Anderson:

Suma Oil & Gas LLC, as of February 2004, has five (5) State Lease Wells (see attachment A) that are currently in non-compliance for extended shut-in or temporary abandonment status. Wells SI/TA beyond twelve (12) consecutive months requires filing a Sundry Notice (R649-3-36-1). Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (649-3-36-1.3.3). For extended SI/TA consideration the operator shall provide the Utah Division of Oil, Gas & Mining with the following:

- 1. Reasons for SI/TA of the well (R649-3-36-1.1).
- 2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
- 3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).



Page 2 February 20, 2004 Russell Anderson

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).

- 1. Wellbore diagram, and
- 2. Copy of recent casing pressure test, and
- 3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
- 4. Fluid level in the wellbore, and
- 5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions may be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely,

Dustin K. Doucet Petroleum Engineer

jc

cc:

John Baza Well File SITLA

	Well Name	API	Lease Type	Years Inactive
1	Dome 32-1	43-019-31043	State	6 Years 5 Months
2	Grand Valley Expl	43-019-30067	State	10 Years 7 Months
3	St of Ut 2-2	43-019-30514	State	10 Years 7 Months
4	St of Ut 2-5	43-019-30580	State	10 Years 7 Months
5	Thunderbird 1	43-019-30058	State	10 Years 7 Months



State of Utah

Department of Natural Resources

Division of Oil, Gas & Mining

ROBERT L. MORGAN Executive Director

LOWELL P. BRAXTON Division Director MICHAEL O. LEAVITT Governor

OLENE S. WALKER Lieutenant Governor

April 16, 2004

CERTIFIED MAIL NO. 7002 0510 0003 8602 6211

Russell Anderson Suma Oil & Gas LLC P.O. Box 399 Winthrop, Washington 98862

Re: <u>Extended Shut-in and Temporary Abandoned Well Requirements for Fee</u> or State Leases.

Dear Mr. Anderson:

Suma Oil & Gas LLC, as of April 2004, has five (5) State Lease Wells (see attachment A) that are currently in non-compliance for extended shut-in or temporary abandonment status. Wells SI/TA beyond twelve (12) consecutive months requires filing a Sundry Notice (R649-3-36-1). Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (649-3-36-1.3.3). For extended SI/TA consideration the operator shall provide the Utah Division of Oil, Gas & Mining with the following:

- 1. Reasons for SI/TA of the well (R649-3-36-1.1).
- 2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
- 3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).



Page 2 April 16, 2004 Russell Anderson

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).

- 1. Wellbore diagram, and
- 2. Copy of recent casing pressure test, and
- 3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
- 4. Fluid level in the wellbore, and
- 5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions may be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely,

Dustin K. Doucet Petroleum Engineer

jc

cc:

John Baza Well File SITLA

Suma Oil Gas, LLC

	Well Name	API	Lease Type	Years Inactive
1	Dome 32-1	43-019-31043	State	6 Years 5 Months
2	Grand Valley Expl 32-3	43-019-30067	State	10 Years 7 Months
3	St of Ut 2-2	43-019-30514	State	10 Years 7 Months
4	St of Ut 2-5	43-019-30580	State	10 Years 7 Months
5	Thunderbird 1	43-019-30058	State	10 Years 7 Months



State of Utah

Department of Natural Resources

ROBERT L. MORGAN Executive Director

Division of Oil, Gas & Mining

LOWELL P. BRAXTON Division Director OLENE S. WALKER

GAYLE F. McKEACHNIE
Lieutenant Governor

June 7, 2004

CERTIFIED MAIL NO. 7002 0510 0003 8602 5313

Russell Anderson Suma Oil & Gas LLC P.O. Box 3966 Omak, Washington 98841

Re: Extended Shut-in and Temporary Abandoned Well Requirements for Fee or State Leases.

Dear Mr. Anderson:

Suma Oil & Gas LLC, as of June 2004, has five (5) State Lease Wells (see attachment A) that are currently in non-compliance for extended shut-in or temporary abandonment status. Wells SI/TA beyond twelve (12) consecutive months requires filing a Sundry Notice (R649-3-36-1). Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (649-3-36-1.3.3). For extended SI/TA consideration the operator shall provide the Utah Division of Oil, Gas & Mining with the following:

- 1. Reasons for SI/TA of the well (R649-3-36-1.1).
- 2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
- 3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).



Page 2 June 7, 2004 Russell Anderson

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).

- 1. Wellbore diagram, and
- 2. Copy of recent casing pressure test, and
- 3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
- 4. Fluid level in the wellbore, and
- 5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions may be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely,

Dustin K. Doucet Petroleum Engineer

jc

cc:

John Baza

Well File

SITLA

	Well Name	API	Lease Type	Years Inactive
1	Dome 32-1	43-019-31043	State	6 Years 7 Months
2	Grand Valley Expl	43-019-30067	State	10 Years 9 Months
3	St of Ut 2-2	43-019-30514	State	10 Years 9 Months
4	St of Ut 2-5	43-019-30580	State	10 Years 9 Months
5	Thunderbird 1	43-019-30058	State	10 Years 9 Months



State of Utah

Department of **Natural Resources**

ROBERT L. MORGAN Executive Director

Division of Oil, Gas & Mining

LOWELL P. BRAXTON Division Director

OLENE S. WALKER Governor

GAYLE F. McKEACHNIE Lieutenant Governor

October 1, 2004

CERTIFIED MAIL NO. 7002 0510 0003 8602 6013

Mr. Russell Anderson Suma Oil & Gas, LLC P.O. Box 3966 Omak, Washington 98841

Re: Extended Shut-in and Temporary Abandoned Well Requirements for Fee or State Leases dated June 7, 2004.

Dear Mr. Anderson:

The Division of Oil, Gas and Mining (the "Division") is in receipt of your letter dated August 31, 2004 (received by the Division on 9/02/2004) in regards to the five (5) shut-in wells operated by Suma Oil & Gas ("Suma"). It is the Division's understanding the Thunderbird 1 will be tested and returned to production by the end of this year and additional time is necessary to properly evaluate your options for the other four (4) wells.

Based on the submitted plan of action for the Thunderbird 1, the Division grants extended shut-in and temporary abandonment for this well until 1/1/2005 allowing Suma adequate time to perform the proposed work.

In addition, the Division grants extended shut-in and temporary abandonment for the Dome 32-1, Grand Valley Expl 32-3, St of Ut 2-2, and St of Ut 2-5 wells until 1/1/2005, allowing Suma adequate time to fully evaluate each well and determine the best plan of action for these wells.

For reference, Attachment A lists the wells subject to the request. If you have any questions or need additional assistance in regards to the above matters please contact me at (801) 538-5281.

Sincerely,

Dustin Doucet Petroleum Engineer

CLD:jc

SITLA cc:

well file



	Well Name	API	Lease Type	Years Inactive
1	Dome 32-1	43-019-31043	State	6 Years 5 Months
2	Grand Valley Expl 32-3	43-019-30067	State	10 Years 7 Months
3	St of Ut 2-2	43-019-30514	State	10 Years 7 Months
4	St of Ut 2-5	43-019-30580	State	10 Years 7 Months
5	Thunderbird 1	43-019-30058	State	10 Years 7 Months

December 8, 2004

Utah Division of Oil, Gas and Mining 1594 West North Temple, Suite 1210 Box 145801 Salt Lake City, UT 84114-5801

Re: Form #9'(s)

Greetings:

I have enclosed copies of Form # 9 for:

Lease ML 47660

- 1. Thunderbird Well AP1#43-019-30058
- 2. State Dome 32-3 AP1 #43-019-30067

There are two copies of each Form #9. After the work is complete, or in the event of any changes, I will be sending the third follow up copy - - indicating the current status of each well.

This work is being scheduled in accordance with previous communications with your office, including letter dated 10/01/2004 from Dustin Doucet, P.E.

If you have any questions or comments prior to receiving the follow up (completion) Form #9, I can be reached at my cell # (760) 835-2354.

Thank you for your cooperation and any assistance.

Respectfully,

RECEIVED

DEC 1 3 2004

DIV. OF OIL, GAS & MINING

Russell E. Anderson

SUMA Oil & Gas

PO Box 1119

Desert Hot Springs, CA 92240

The second secon

STATE OF UTAH

	DEPARTMENT OF NATUR DIVISION OF OIL, GAS	AL RESOURCE	 	6. LEASE DESIGNATION AND SERVA	L NUMBER:		
CIMIDA	ALOTICES AND D	5. IF HIGHAN, ALLOTTEE OR TRIBE NAME:					
SUNDKI	NOTICES AND RI						
Do not use this form for proposets to dittl new walls, significantly deepen existing wells below current bottem-hole depth, reenter plugged wells, or to dittl new walls. See APPLICATION FOR PERMIT TO DRILL term for such proposets.							
TYPE OF WELL OIL WELL		OTHER		B. WELL NAME and NUMBER: GR			
. NAME OF OPERATOR:		OTTIEN		STATE DOME	56-7		
	A OIL & GAS	6,6,0	.,	43-019-	30067		
1. ADDRESS OF OPERATOR:			PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAY:			
P.O. BOXIII9 D	H.S.CA, 922	40	(760) 835-2354	GREATER C	_130-0		
FOOTAGES AT SURFACE: 3 00	FNL 300 F	WL		COUNTY GRAND	>		
OTRIOTIR SECTION, TOWNSHIP, RAN NWNW, SEC 3	GE MERICIAN: 52, TWPZOS	R246	MERIDIAN; S	STATE: UTAH			
II. CHECK APP	ROPRIATE BOXES TO	INDICATE	NATURE OF NOTICE, REPO	RT, OR OTHER DATA			
TYPE OF SUBMISSION			TYPE OF ACTION				
NOTICE OF INTENT (Submit in Duplicate)	ACIDIZE ALTER CASING		DEEPEN	REPERFORATE CURRENT F			
Approximate date work will start:	CASING REPAIR	[[FRACTURE TREAT NEW CONSTRUCTION	SIDETRACK TO REPAIR WE!	RECEIVED		
12-11-2004	CHANGE TO PREVIOUS PLA	L. Na F	OPERATOR CHANGE	TUBING REPAIR	HEOLIVEL		
	CHANGETURING		PLUG AND ABANDON	VENT OR FLARE	DEC 1 3 2004		
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	Ē	PLUG BACK	WATER DISPOSAL			
Data of work completion:	CHANGE WELL STATUS		PRODUCTION (START/RESUME)	The second secon	DIV. OF OIL, GAS & MIN		
	COMMINGLE PRODUCING F	ORMATIONS	RECLAMATION OF WELL SITE	DOTHER SWAB	E TEST		
	CONVERT WELL TYPE		RECOMPLETE - DIFFERENT FORMATION				
THE PREVIOU WITHIN THE SWABBING 1, IF CON ARE INSTA 2. IF CON PIPE LITE BIRD PIPELLIA CZ	SOPERATOR NEXT 3 WE AND TESTINI MERCIAL PRESENT, LLED AND MERCIAL MERC	CS) HI EKS; G OF T HOOK TILL B ICH I ROVID	THIS OPERATOR THIS OPERATOR THIS WELL! SURFACE ER FOTTIES OF CTAS E PLACED 282 S ALSO SUBJECT CONSON ENGINE	ES OF GAS A WILL OVER ES OF GAS A UIPMENT WI ATHERING ARE NOT FOR 'TO THE ADJA IT TO THIS LE AMOUNT O	LSEE THE RE ILL BE SYSTEM, OND, A OINING ASE. THE F GAS FOR SOURCE		
AME (PLEASE PRINT) RUSS BOMATURE RUSS Copoco for State use only)	ELLE ANDE	RSON	MILE PIZESIDE		LE CIAS LL		
	e ⁱ s.	OF UT/	SD SYTHAS ANDS	SENT TO CHER	ATOR 1		

OPERATOR CHANGE WORKSHEET

ROUTING	
1. DJJ	_
2. CDW	
3. FILE	

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator :	Name	Change
------------	------	--------

Merger

The operator of the well(s) listed below has chan	6/1/2005							
FROM: (Old Operator):				TO: (New O	perator):			
N6695-Suma Oil & Gas, LLC				N2650-Elk Pr	oduction, LL	.C		
PO Box 3966				1401 1	7th St, Suite	700		
Omak, WA 98841				Denve	r, CO 80202			
Phone: 1-(760) 835-2354		Phone: 1-(303	339-1919					
CA No.				Unit:				
WELL(S)								
NAME	SEC	TWN	RNG	API NO	ENTITY	LEASE	WELL	WELL
					NO	TYPE	TYPE	STATUS
THUNDERBIRD 1	32			4301930058	10339		ow	TA
GRAND VALLEY EXPL 32-3	32			4301930067	10335		GW	TA
DOME 32-1	32	2008	240E	4301931043	11168	State	OW	TA
								<u> </u>
		 	<u> </u>					
	-					<u> </u>	 	
	<u> </u>						+	
		<u></u>						
		<u> </u>						
	<u> </u>	<u> </u>						
		-		ļ			+	
		┼						
	 	 		 		<u> </u>	 	
			<u> </u>		 		 	
				<u> </u>				-
		 	-		-		-	
OPERATOR CHANGES DOCUMENT Enter date after each listed item is completed								
1. (R649-8-10) Sundry or legal documentation wa	as rec	eived f	rom the	FORMER op	erator on:	6/10/200		
2. (R649-8-10) Sundry or legal documentation wa	as rec	eived f	rom the	NEW operator	r on:	6/10/200	<u>5</u>	
3. The new company was checked on the Departs	ment	of Co	nmerce	e, Division of C	orporation:	s Database	on:	7/27/2004
4. Is the new operator registered in the State of U	tah:		YES	Business Num	ber:	5693065-01	61	
5. If NO, the operator was contacted contacted or	1:			-			_	
6a. (R649-9-2)Waste Management Plan has been re	eceiv	ed on:			requested (5/29/2005		
6b. Inspections of LA PA state/fee well sites comp				n/a	-			
		_						

7. Federal and Indian Lease Wells: The BLM and or the or operator change for all wells listed on Federal or Indian leases.	
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator	for wells listed on:n/a
 Federal and Indian Communization Agreements (The BLM or BIA has approved the operator for all wells listed 	
10. Underground Injection Control ("UIC") The Inject, for the enhanced/secondary recovery unit/project for the	Division has approved UIC Form 5, Transfer of Authority to water disposal well(s) listed on:
DATA ENTRY:	
1. Changes entered in the Oil and Gas Database on:	6/28/2005
2. Changes have been entered on the Monthly Operator Change	Spread Sheet on: <u>6/25/2005</u>
3. Bond information entered in RBDMS on:	6/28/2005
4. Fee/State wells attached to bond in RBDMS on:	6/28/2005
5. Injection Projects to new operator in RBDMS on:	n/a
6. Receipt of Acceptance of Drilling Procedures for APD/New on:	n/a
FEDERAL WELL(S) BOND VERIFICATION:	
1. Federal well(s) covered by Bond Number:	n/a
INDIAN WELL(S) BOND VERIFICATION:	
1. Indian well(s) covered by Bond Number:	n/a
FEE & STATE WELL(S) BOND VERIFICATION: 1. (R649-3-1) The NEW operator of any fee well(s) listed covered	by Bond Number B000969
2. The FORMER operator has requested a release of liability from The Division sent response by letter on:	their bond on:n/a n/a
LEASE INTEREST OWNER NOTIFICATION: 3. (R649-2-10) The FORMER operator of the fee wells has been confident of their responsibility to notify all interest owners of this change of their responsibility to notify all interest owners of this change of their responsibility.	
COMMENTS:	

OPERATOR CHANGE WORKSHEET

ROUTING						
1. DJJ						
2. CDW						
3. FILE						

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:				6/1/2005				
FROM: (Old Operator):				TO: (New O	perator):			
N6695-Suma Oil & Gas, LLC				N2650-Elk Pro	duction, LL	.C		
PO Box 3966	·				7th St, Suite	700		
Omak, WA 98841				Denver	, CO 80202			
Phone: 1-(760) 835-2354				Phone: 1-(303)	339-1919			
CA No.				Unit:				
WELL(S)			•					
	SEC	TWN	RNG	API NO	ENTITY	LEASE	WELL	WELL
					NO	TYPE	TYPE	STATUS
THUNDERBIRD 1	32	200S		4301930058	10339		OW	TA
GRAND VALLEY EXPL 32-3	32			4301930067	10335		GW	TA
DOME 32-1	32	200S	240E	4301931043	11168	State	ow	TA
·		ļ						
							-	
								
,								
								./
								/
		<u> </u>						<u></u>
							<u> </u>	
		<u> </u>						
	-							
		_		****				
Particular and the second seco				<u> </u>				
OPERATOR CHANGES DOCUMENT. Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation wa 2. (R649-8-10) Sundry or legal documentation wa	s rec	eived f		-		6/10/2005 6/10/2005		
3. The new company was checked on the Departr	nent	of Cor	nmerce	, Division of Co	rporations	Database o	n:	7/27/2004
4. Is the new operator registered in the State of Ut				Business Numb	-	693065-016		-
5. If NO, the operator was contacted contacted on					•		•	
6a. (R649-9-2)Waste Management Plan has been re	ceive	d on:			requested 6	/29/2005)
6b. Inspections of LA PA state/fee well sites compl			•	n/a				

7. Federal and Indian Lease Wells: The BLM and or or operator change for all wells listed on Federal or Indian le	
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit opera	tor for wells listed on: n/a
9. Federal and Indian Communization Agreemen The BLM or BIA has approved the operator for all wells li	
10. Underground Injection Control ("UIC") Inject, for the enhanced/secondary recovery unit/project for	The Division has approved UIC Form 5, Transfer of Authority to the water disposal well(s) listed on:
DATA ENTRY:	
1. Changes entered in the Oil and Gas Database on:	6/28/2005
2. Changes have been entered on the Monthly Operator Chan	ge Spread Sheet on: 6/25/2005
3. Bond information entered in RBDMS on:	6/28/2005
4. Fee/State wells attached to bond in RBDMS on:	6/28/2005
5. Injection Projects to new operator in RBDMS on:	n/a
6. Receipt of Acceptance of Drilling Procedures for APD/New	on: n/a
FEDERAL WELL(S) BOND VERIFICATION: 1. Federal well(s) covered by Bond Number:	n/a
INDIAN WELL(S) BOND VERIFICATION: 1. Indian well(s) covered by Bond Number:	n/a
FEE & STATE WELL(S) BOND VERIFICATION 1. (R649-3-1) The NEW operator of any fee well(s) listed cover.	
2. The FORMER operator has requested a release of liability from The Division sent response by letter on:	om their bond on: n/a n/a
LEASE INTEREST OWNER NOTIFICATION: 3. (R649-2-10) The FORMER operator of the fee wells has been of their responsibility to notify all interest owners of this chan	
COMMENTS:	

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES	FORM 9
DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: ML 47660
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Grand Vally Expl 32-3
2. NAME OF OPERATOR: Suma Oil & Gas LLC N6695	9. API NUMBER: 4301930067
3. ADDRESS OF OPERATOR: xxx	10. FIELD AND POOL, OR WLDCAT: Greater Cisco/Morrison-SaltWash
4. LOCATION OF WELL FOOTAGES AT SURFACE: 300 FNL, 300 FWL	COUNTY: Grand
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWNW 32 20S 24E S	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL
(Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volune Effective June 1, 2005:	nes, etc.
Dated this ZDD day of JUNE, 2005. Dated this 15T day of _	JUNE , 2005.
PREVIOUS OPERATOR: NEW OPERATOR:	N 2650
SUMA OIL & GAS, LLC ELK PRODUCTION, LLC	•
a Utah limited liability company a Texas limited liability com 1401 17th Street, Suite 700	
Denver, CO 80202	•
V MALL	
Jussell (Spiderson BOND # BOOD	96 9 R
Russell E. Anderson, President	• •
NAME (PLEASE PRINT) Richard P. Crist Executive Vice F	President & COO

(This space for State use only)

RECEIVED

June 2005

JUN 1 0 2005

DIV. OF OIL, GAS & MINING



State of Utah DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

July 30, 2008

CERTIFIED MAIL NO.: 7004 2510 0004 1824 5810

Mr. Tom Young Elk Production, LLC 1401 17th Street, Suite 700 Denver, CO 80202

Re: Extended Shut-in and Temporarily Abandoned Requirements for Wells on Fee or State Leases

Dear Mr. Young:

As of July 2008, Elk Production LLC has one (1) State Lease well and three (3) Fee Lease Wells (see attachment A) that are in non-compliance with the requirements for extended shut-in or temporarily abandoned (SI/TA) status. Wells SI/TA beyond twelve (12) consecutive months require the filing of a Sundry Notice in accordance with R649-3-36-1 for Utah Division of Oil, Gas & Mining ("Division") approval. Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (R649-3-36-1.3.3).

This is a second notice of non-compliance for the Grand Valley Expl 32-3 (API #43-019-30067) well. The Division notified the previous operator, Suma, by certified mail in June 2004 about the Grand Valley Expl 32-3 wells non-compliance issue. Although the well was put on production for a few days since Elk took over, the well remains SI/TA. The Division feels that sufficient time has passed to make a decision on this well. Please submit your plans to produce or plug this well. If this is not addressed within 30 days, a Notice of Violation will be issued for this well. A similar response is required for the other three wells listed in Exhibit A.

For extended SI/TA consideration the operator shall provide the Division with the following:

- 1. Reasons for SI/TA of the well (R649-3-36-1.1).
- 2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and



Page 2 July 30, 2008 Mr. Young

3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).

- 1. Wellbore diagram, and
- 2. Copy of recent casing pressure test, and
- 3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
- 4. Fluid level in the wellbore, and
- 5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions may be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely,

Dustin K. Doucet Petroleum Engineer

JP:js Enclosure

cc: Jim Davis, SITLA
Well File
Compliance File

Attachment A

	Well Name	API	Lease Type	Years Inactive
1	Grand Valley Expl 32-3	43-019-30067	State	14 Years 7 Months
2	Roosevelt U 15-A1E	43-047-31696	Fee	1 Year 11 Months
3	Roosevelt U 4-19	43-047-36599	Fee	2 Years 2 Months
4	Roosevelt U 7-20	43-047-38292	Fee	1 Year 11 Months

UTAH DIVISION OF OIL, GAS AND MINING

NOTICE OF REPORTING PROBLEMS

Problems: Late Report(s) Inaccurate Report(s) Incomplete Report(s) ✓ Other: No Subsequent Report		complete r Violation t result in outlined in	manner may result in to by the Division of Oil, (the Division pursuing Rule R649-10, Admir Section 40-6-11 of th	nese reporting problems
Send reports to:		Fax to:		
Utah Division of Oil, Gas and Mining 1594 West North Temple, Suite 1210 P.O. Box 145801 Salt Lake City, Utah 84114-5801		(801) 3	59-3940 43 (Grand 205	019 30667 Valley Expl 32 24E 32
Type of Report		Mon	th(s) of Problem Rep	oort
Production – Form 10				
☐ Disposition – Form 11				
Gas Plant – Form 13				
Enhanced Recovery – UIC Form 2				
☐ Injection – UIC Form 3				
Other				
Type of Report	Well Na	ıme(s)	API Number(s)	Drilling Commenced
Spud Notice – Form 9				
Drilling Reports – Form 9				
Well Completion Report – Form 8				
Other Subsequent Sundry	✓ List Attach	ed		
Description of Problem: Operator has submitted sundry of intents o a subsequent report shall be submitted on show workover results, well status, work co	Form 9, Sundry N	lotice, with ir	o 30 days after comple	

If you have questions or concerns regarding this matter, please contact Rachel Medina at (801) 538-5260 .

cc: Compliance File RAM Well File

CHD

UTAH DIVISION OF OIL, GAS AND MINING

NOTICE OF REPORTING PROBLEMS

ATTACHMENT

Operator:	Elk Production, LLC.	Account: N2650	Today's Date:	09/16/2008

Well Names	API Numbers	Drilling Commenced
ROOSEVELT U 18A1E	4304731687	
FEDERAL 1-10	4301930484	
FEDERAL 25-2	4301930587	
FEDERAL 25-1	4301930359	
FEDERAL 24-3	4301930432	
FEDERAL 24-2	4301930530	
FEDERAL 25-2	4301930587	
THUNDERBIRD 1	4301930058	
GRAND VALLEY EXPL 32-3	4301930067	
ROOSEVELT U 15-A1E	4304731696	
FEDERAL 11-1	4301930485	
FEDERAL 14-5	4301931436	
FEDERAL 15-3	4301930637	
WASATCH 10	4304731446	
WASATCH 6	4304731366	
WASATCH 6	4304731366	
WASATCH 10	4301931446	
CALF CANYON 4	4301930392	



August 26, 2008

VIA OVERNIGHT MAIL

Dustin Doucet Utah Division of Oil, Gas and Mining 1594 West North Temple, Suite 1210 Salt Lake City, UT 84114-5801

RE: Extended Shut-in & Temporarily Abandoned Requirements for Wells on Fee or State Leases

Dear Mr. Doucet:

Enclosed are 4 Sundry Notices and Reports on Wells for the following:

- 1. Grand Valley Expl 32-3, API 43-019-30067
- 2. Roosevelt Unit 4-19, API 43-047-36599
- 3. Roosevelt Unit 7-20, API 43-047-38292
- 4. Roosevelt Unit 15-A1E, API 43-047-31696

Should you require any additional information please contact me directly at the number below.

Sincerely,

Paul Gottlob Engineering Technician 303-339-1937 pgottlob@elkresources.net

cc: Bureau of Land Management Vernal District Office 170 South 500 East Vernal, UT 84078-2799

RECEIVED AUG 27 2008

DIV. OF OIL, GAS & MINING

	STATE OF UTAH	IDOEO			FORM 9
	DEPARTMENT OF NATURAL RESOU DIVISION OF OIL, GAS AND MI			5. LEASE DESIGNA ML 47660	ITION AND SERIAL NUMBER:
SUNDRY	NOTICES AND REPORT	S ON WEL	LS	6. IF INDIAN, ALLO	ITEE OR TRIBE NAME:
Do not use this form for proposals to drill r	new wells, significantly deepen existing wells below cu aterals. Use APPLICATION FOR PERMIT TO DRILL	ırrent bottom-hole de form for such propos	pth, reenter plugged wells, or to	7. UNIT or CA AGRI	EEMENT NAME:
TYPE OF WELL OIL WELL				8. WELL NAME and Grand Vally	
2. NAME OF OPERATOR: EIK Production, LLC				9. API NUMBER: 4301930067	7
3. ADDRESS OF OPERATOR:	y Denver STATE CO ZIF	80202	PHONE NUMBER: (303) 296-4505	10. FIELD AND POO Greater Cis	ol, or wildcat: co/Brushy Basin
4. LOCATION OF WELL				COUNTY: Gran	
FOOTAGES AT SURFACE: 300 F	NL, 300 FWL IGE, MERIDIAN: NWNW 32 20S 1	24E S		STATE:	gger i verska alla de de de
			OF NOTICE BEDO	DT OR OTHE	UTAH
11. CHECK APP	ROPRIATE BOXES TO INDICAT		TYPE OF ACTION	KI, OK OTHE	RUATA
	ACIDIZE	DEEPEN		REPERFOR	RATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE	E TREAT	SIDETRAC	K TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CON	STRUCTION	TEMPORAI	RILY ABANDON
9/15/2008	CHANGE TO PREVIOUS PLANS	OPERATO	R CHANGE	TUBING RE	
	CHANGE TUBING	<u></u>	ABANDON	U VENT OR F	
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BAC		☐ WATER DIS	
Date of work completion:	CHANGE WELL STATUS		ION (START/RESUME)	WATER SH	iu I-OFF
	COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE	=	TION OF WELL SITE ETE - DIFFERENT FORMATION	OTHER:	
	OMPLETED OPERATIONS. Clearly show all				- Allendaria
Elk Production, LLC is prohydrocarbon potential. The perforations in the Brushy 20# surface casing set what second is reported what this is and what it was	oposing to P&A the referenced we well was drilled in 1971 and consider Basin from 639' to 659'. No reconich was cemented to surface. The second report reas for.	rell as it is cur ompletion rep cord of produc he productio records 2 join	rrently non-productive corts indicate a comp ction was found from n casing is 4-1/2", 9. ts of 5-1/2", 15# casi	e and appears letion was ma this well. The 4#, set at 749' ng being set a	de in 1974 from well has 60' of 7", and cemented with t 60' but it is unclear
The proposal for P&A work top of plug would be confi	uld first set a 20 sx plug from PB irmed by tag to be at 539' or abo	TD, thought t ve. An additi	to be 680', to cover the ional plug would be s	et if cement to	nterval. A minimum p were found lower.
the void to a minimum de at 75' and cement circulat the production casing and	g no fluid between the production pth of the surface casing shoe at ted to fill both the annulus and indicated annulus from a minimum depth n be installed. See attached pro	t 60', this will side the prod n of 60' to sur	be done; otherwise, to the done; otherwise, to the done it is the done; the done it is the done it is the done; the done it is	the 4-1/2" will l ner case, ceme	be perforated or cut ent will be placed in
This work is planned to be	e completed in approximately 2 d	lays and will	be begun as soon as	approval is ol	otained.
NAME (PLEASE PRINT)_Paul Gott	lob		Engineering Tecl	hnician	
SIGNATURE PAUL A	tilled	DA	те 8/25/2008		COPY SENT TO OPERATOR
(This space for State use only) \triangle	ROVED BY THE STA	TE .			Date: 2 · 29 · 2003
					Initials: KS
Oil	L, GAS, AND MINING	.7	DE/	CEIVED	

(5/2000)

DATE: 9724/08
BY: SUMMA (See Instructions on Reverse Side)

**Sec Cond. + was of Approval (Attached)

AUG 27 2008

DIV. OF OIL, GAS & MINING

Elk Production, LLC P&A of the Grand Valley #32-3 August 10, 2008


Procedure:


- 1. Move in and rig up rig to P&A well. Make certain State of Utah was given proper notice of commencement of plugging operation.
- 2. Nipple up and test BOP.
- 3. Pick up 23/8", J-55, EUE 8rd. tubing and run in hole open ended to PBTD at 680'.
- 4. Load hole with 11 bbls fresh water and spot a 20 sx (23.6 cu. ft.) premium cement plug from PBTD to a calculated 421' covering perforations 639' to 659'.

 Observe casing annulus when initially loading hole to check for communication
- 5. Pull out of hole with tubing. WOC. RIH to top of cement plug to confirm new PBTD. Top of plug must be above 539' (100' above top perforation) or additional cement will be placed on first plug to bring it up to above that depth.
- 6. Prior to start of P&A operation, determine fluid level in casing annulus. Provided there is void space for at least 60 feet, calculate the cement volume required to fill to surface.
- 7. If there is adequate void to "bullhead" cement down back side to fill from a minimum depth of 60' to surface, tie onto casing and begin loading casing annulus with cement. Do not lead off with any water but have lead barrel of slurry adequately wet to prevent bridging. Pump cement until annulus is filled and static at surface. Should require approximately 1 sack per 10' of void being filled.
- 8. RIH with 2 joints of tubing to 60'. Circulate approximate 5 sx (1 bbl slurry) cement to surface and pull out of hole with tubing.
- 9. If it is found that back side has fluid above 60', perforate 4½" casing at 75' and circulate cement from 75' to surface in the 4½" X 7" annulus leaving cement to surface inside the 4½".
- 10. Install dry hole marker.

ELK PRODUCTION LLC WELLBORE DIAGRAM

Elk Production LLC 10/24/2005 OPERATOR: DATE: Grand Valley 32-3 816' WELL NAME: TD: AREA: Cisco Greater Cisco FIELD / PROSPECT: ELEV: 4560' est KB: SURFACE LOCATION: NWNW Section 32-T20S-R24E Vertical wellbore BHL: Unknown/Approx 7/1971 4301930067 SPUD DATE: API: PRODUCTIVE ZONE(S Brushy Basin





State of Utah DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

CONDITIONS OF APPROVAL TO PLUG AND ABANDON WELL

Well Name and Number:

Grand Valley Expl 32-3

API Number:

43-019-30067

Operator:

Elk Production LLC

Reference Document:

Original Sundry Notice dated August 25, 2008

received by DOGM on August 27, 2008

Approval Conditions:

- 1. Notify the Division at least 24 hours prior to conducting abandonment operations. Please call Dan Jarvis at 801-538-5338.
- 2. Plug #2 shall be a minimum of 75' in length.
- 3. All annuli shall be cemented from a minimum depth of 75' to the surface.
- 4. All balanced plugs shall be tagged to ensure that they are at the depths specified in the procedure.
- 5. Surface reclamation shall be done in accordance with R649-3-34 Well Site Restoration.
- 6. All requirements in the Oil and Gas Conservation General Rule R649-3-24 shall apply.
- 7. If there are any changes to the plugging procedure or the wellbore configuration, notify Dustin Doucet at 801-538-5281 (Office) or 801-733-0983 (Home) prior to continuing with the procedure.
- 8. All other requirements for notice and reporting in the Oil and Gas Conservation General Rules shall apply.

September 24, 2008

Dustin K. Doucet

Date

Petroleum Engineer



API Well No: 43-019-30067-00-00

Permit No:

Well Name/No: GRAND VALLEY EXPL 32-3

Company Name: ELK PRODUCTION, LLC

Location: Sec: 32 T: 20S R: 24E Spot: NWNW

Coordinates: X: 647765 Y: 4321263 Field Name: GREATER CISCO County Name: GRAND

String Into	rmation				0 - 1.
String	Bottom (ft sub)	Diameter (inches)	Weight (lb/ft)	Length (ft)	(fice)
HOL1	60	8.75			
SURF	60	7	20		
HOL2	816	6.25			In acc)
PROD	749	4.5	9.5		10.960 6-7868
674 X U 5/2 X	16" (108))		-)	6-7868 le-041
3 (2 ×	` T				

Cement from 60 ft. to surface

Surface: 7 in. @ 60 ft.

Hole: 8.75 in. @ 60 ft.

Pluy#2(Step#7-9) (55+)(1.18)(10,960)=64' 75' minimum reg. (65+)

60 (1.19 X 16 041) = 35X

Cement Information

String	BOC (ft sub)	TOC (ft sub)	Class	Sacks
PROD	749	±460	UK	35
SURF	60	0	UK	12

15/(1.10)(6.7868) = 25K

Perforation Information

Top (ft sub)	Bottom (ft sub)	Shts/Ft	No Shts	Dt Squeeze
639	659			

421

Cement from 749 ft. Production: 4.5 in. @ 749 ft. ,59 (ole: Unknown

Formation Information Formation Depth 285 417 SLTW 755

Hole: 6.25 in. @ 816 ft.

TD:

816 **TVD**:

PBTD:

FORM 9

STATE OF UTAH
MENT OF NATURAL RESOURCES

DEPARTMENT OF NATURAL RESOURCES	
DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: ML 47660
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NA
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: NA
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Grand Vally Expl 32-3
2. NAME OF OPERATOR: Elk Production, LLC	9. API NUMBER: 4301930067
3. ADDRESS OF OPERATOR: 1401 17th Street, Suite 700 CITY Denver STATE CO ZIP 80202 PHONE NUMBER: (303) 296-4505	10. FIELD AND POOL, OR WILDCAT: Greater Cisco/Brushy Basin
4. LOCATION OF WELL	
FOOTAGES AT SURFACE: 300 FNL, 300 FWL	COUNTY: Grand
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWNW 32 20S 24E S	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT	RT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only) CHANGE WELL NAME PLUG BACK	WATER DISPOSAL
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
11/1/2005 COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume Elk returned the subject to production in November 2005. The well was tested and determine economic quantities of gas. The well was shut in December 2005. The well has been approached State as of 9/24/2008.	ned that it did not produce
NAME (PLEASE PRINT) Karin Kuhn TITLE Sr. Engineering To	echnician
SIGNATURE ANN LUM DATE 9/27/2008	

(This space for State use only)

RECEIVED

SEP 3 0 2008

210

(5/2000)

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL. GAS AND MINING

DIVISION OF OIL, GAS AND MINING		5. LEASE DESIGNATION AND SERIAL NUMBER: ML 47660
SUNDRY NOTICES AND REPORTS ON V	WELLS	6 IF INDIAN, ALLOTTEE OR TRIBE NAME:
		NA 7. UNIT O' CA AGREEMENT NAME:
Do not use this form for proposals to drift new wells, significantly deepen existing wells below current bottom- drift horizontal laterals. Use APPLICATION FOR PERMIT TO DRIFT form for such	nole depth, reenter plugged wells, or to proposals.	NA
1. TYPE OF WELL OIL WELL GAS WELL OTHER		a. WELL NAME and NUMBER Grand Vally Expl 32-3
2. NAME OF OPERATOR: Elk Production, LLC		B. API NUMBER: 4301930067
3. ADDRESS OF OPERATOR:	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
1401 17th Street, Suite 700 CITY Deriver STATE CO 210 80202	(303) 296-4505	Greater Cisco/Brushy Basin
FOOTAGES AT SURFACE: 300 FNL, 300 FWL		county: Grand
OTRICITIR SECTION, TOWNSHIP, RANGE, MERIDIAN: NWNW 32 20S 24E S		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATU	JRE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
LI NOTICE OF INTENT	PEN	REPERFORATE CURRENT FORMATION
	CTURE TREAT	SIDETRACK TO REPAIR WELL
	CONSTRUCTION	TEMPORARILY ABANDON
	RATOR CHANGE G AND ABANDON	TUBING REPAIR VENT OR FLARE
	G BACK	WATER DISPOSAL
(Submit Original Form Only)	DUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion:	LAMATION OF WELL SITE	OTHER
3/17/2009	OMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent del	talls including dates, depths, volume	s, etc.
Work began on 3/12/09 to plug and abandon the subject well. Mov tubing and tagged PBTD @ 650'. Pumped 20 sx Class G Neat cer down tubing. Ran in hole with tubing and tagged top of cement @ Pumped 14 sx Class G Neat cement (15.6 - 15.8#/gal, 1.15 cu ft/sk Weld on dry hole plate and cover. Bart Kettle with the DOGM was	nent (15.6 - 15.8#/gal, 1.1 388'. Cut well head off. yield, 5 gal/sk water mix	5 cu ft/sk yield, 5 gal/sk water mix) Ran in hole with tubing to 130'.) down casing from 130' to surface.
NAME (PLEASE PRINT) Karin Kuhry	TITLE Sr. Engineering T	echnician
SIGNATURE YOUNG KUNDA	DATE 3/31/2009	
This space for State use only)		

RECEIVED MAR 3 1 2009

DIV. OF OIL, GAS & MINING

Elk Production LLC Field Activity Report

CISCO

SUMA GRAND VALLY EXPLORATION 32-

МО

20S 24E 32 NWN

43019300670000

SYNOPSIS: P&A 3/17/09: Work began on 3/12/09 to plug and abandon the subject well. Moved in, rigged up Well Pluggers, Inc. #1. Ran in hole with tubing and tagged PBTD @ 650°. Pumped 20 sx Class G Neat cement (15.6 - 15.8#gal, 1.15 cu ft/sk yield, 5 gal/sk water mix) down tubing. Ran in hole with tubing and tagged top of cement @ 388°. Cut well head off. Ran in hole with tubing to 130°. Pumped 14 sx Class G Neat cement (15.6 - 15.8#gal, 1.15 cu ft/sk yield, 5 gal/sk water mix) down casing from 130' to surface. Weld on dry hole plate and cover. Bart Kettle with the DOGM was on location. Well plugged and abandoned on 3/17/09.

Effective 6/1/2005, Elk Production, LLC becomes operator of well.

3PNP

Completed well: 11/28/1974, SI.

Reached TD 816' on 7/30/1971. BrushyBasinSand Perfs: 639'-659'.

Spud: ?

Daily Detail:

6/1/2005 Elk Production, LLC becomes operator of GrandVallyExpl 32-3 well.

12/12/2008 MIRU Well Pluggers #1. Blow well dn; install well head, haul tog f/ yard to location. RIH w/ 633' 2 3/8" tog.

3/12/2009 MIRU Well Pluggers #1. RU cementer, wtr truck & eqpt to location.

3/13/2009 RIH w/ 2 3/8" tbg & tag PBTD @ 650". Mix & pmp 20 sx (4 bbls) Class G Neat cmt dn tbg. POOH & LD tbg.

3/16/2009 RIH w/ 1 1/2" tbg & tag top of cmt @ 388'. Cut well head off. RIH w/ 1 1/2" tbg to 130'. Mix & pmp 14 sx cmt dn csg f/ 130' to surf.

3/17/2009 Weld on dry hole plate & cover. Cmt: mixed by Well Pluggers, 15.6-15.8#/gal, Class G Neat, 1.15 cu ft/sk yield, 5 gals/sk wtr mix. 1st plug: 388'-650'; 2nd plug: surf to 130'. Bart Kettle, DOGM, on location.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

		5. LEASE DESIGNATION AND SERIAL NUMBER: ML 47660
SUNDRY NOTICES AND REPORTS ON W	ELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Pic and the formation of the second s	doub mater shaned units of to	7. UNIT or CA AGREEMENT NAME:
Do not use this form for proposals to drift new wells, significantly deepen existing wells below current bottom-hol drift horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such pr	posais.	NA
1. TYPE OF WELL OIL WELL GAS WELL OTHER		8. WELL NAME and NUMBER: Grand Vally Expl 32-3
2. NAME OF OPERATOR:		9. API NUMBER:
Elk Production, LLC		4301930067
3. ADDRESS OF OPERATOR:	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
1401 17th Street, Suite 700 City Denver STATE CO ZIP 80202 4. LOCATION OF WELL	(303) 296-4505	Greater Cisco/Brushy Basin
FOOTAGES AT SURFACE: 300 FNL, 300 FWL		COUNTY: Grand
OTRIOTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWNW 32 20S 24E S		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATUR	RE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
NOTICE OF INTENT	N	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	URE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW C	ONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPER	TOR CHANGE	TUBING REPAIR
	ND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG	MACK	WATER DISPOSAL
Date of work completion: CHANGE WELL STATUS PRODI	ICTION (START/RESUME)	WATER SHUT-OFF
3/17/2009 COMMINGLE PRODUCING FORMATIONS RECLA	MATION OF WELL SITE	OTHER:
CONVERT WELL TYPE RECOR	IPLETE - DIFFERENT FORMATION	
Work began on 3/12/09 to plug and abandon the subject well. Move tubing and tagged PBTD @ 650'. Pumped 20 sx Class G Neat ceme down tubing, Ran in hole with tubing and tagged top of cement @ 3-Pumped 14 sx Class G Neat cement (15.6 - 15.8#/gal, 1.15 cu ft/sk y Weld on dry hole plate and cover. Bart Kettle with the DOGM was o	ent (15.6 - 15.8#/gal, 1. 38'. Cut well head off. rield, 5 gal/sk water mix	15 cu ft/sk yield, 5 gal/sk water mix Ran in hole with tubing to 130'. c) down casing from 130' to surface
7	TITLE Sr. Engineering T	echnician

(See Instructions on

(5/2000)

RECEIVED

MAR 3 1 2009

DIV. OF CIL, GAS & MINING

Elk Production LLC Field Activity Report

130' to surf.

CISCO

SUMA GRAND VALLY EXPLORATION 32-

MO 20S 24E 32 NWN 3PNP 43019300670000

SYNOPSIS: P&A 3/17/09: Work began on 3/12/09 to plug and abandon the subject well. Moved in, rigged up Well Pluggers, inc. #1. Ran in hole with tubing and tagged PBTD @ 650°. Pumped 20 sx Class G Neat cement (15.6 - 15.8#/gal, 1.15 cu tf/sk yield, 5 gal/sk water mix) down tubing. Ran in hole with tubing and tagged top of cement @ 388°. Cut well head off. Ran in hole with tubing to 130°. Pumped 14 sx Class G Neat cement (15.6 - 15.8#/gal, 1.15 cu tf/sk yield, 5 gal/sk water mix) down casing from 130° to surface. Weld on dry hole plate and cover. Bart Kettle with the DOGM was on location. Well plugged and abandoned on 3/17/09.

Effective 6/1/2005, Elk Production, LLC becomes operator of well.

Completed well: 11/28/1974. Sl.

Reached TD 816° on 7/30/1971. BrushyBasinSand Perfs: 639°-659°.

Spud: ?

Daily Detail:

6/1/2005 Elk Production, LLC becomes operator of GrandVallyExpl 32-3 well.

12/12/2008 MIRU Well Pluggers #1. Blow well dn; install well head, haul tbg f/ yard to location. RIH w/ 633° 2 3/8" tbg.

3/12/2009 RIH w/ 2 3/8" tbg & tag PBTD @ 650°. Mix & pmp 20 sx (4 bbls) Class G Neat cmt dn tbg. POOH & LD tbg.

3/17/2009 Weld on dry hole plate & cover. Cmt: mixed by Well Pluggers, 15.6-15.8#/gal, Class G Neat, 1.15 cu ft/sk yield, 5 gals/sk wtr mix. 1st plug: 388'-650'; 2nd plug: surf to 130'. Bart Kettle, DOGM, on location.

3/16/2009 RIH w/ 1 1/2" tbg & tag top of cmt @ 388". Cut well head off. RIH w/ 1 1/2" tbg to 130". Mix & pmp 14 sx cmt dn csg f/